





2 SIGNS, SYMBOLS & LAYOUTS



VERSION
10

Signs, Symbols and Layouts for CONE 10 (UK Version)

Contents

	Page
Introduction	2
Carriageways and Junctions	3
Frequently Used Signs.....	6
SIGNS	
Sign Wizards.....	8
REG_53 Regulation 53 Signs.....	10
TVMS Temporary Variable Message Signs	17
PVMS Permanent Variable Message Signs	18
2X Temporary And Emergency Directional Signs	20
5X Warning Signs.....	29
6X Regulatory Signs	34
7X Signs For Railway And Tramway Level Crossings	37
8X Miscellaneous Informatory Signs	39
9X Buses And Cyclists.....	48
50X Lane Control Signals And Signs For Tidal Flow.....	50
70X Miscellaneous Warning, Informatory And Regulatory Signs.....	52
720X Signs For Lane Closures And Contra-Flows	58
721X Signs For Lane Closures And Contra-Flows	60
722X Signs For Lane Closures And Contra-Flows	64
723X Signs For Lane Closures And Contra-Flows	65
724X Signs For Lane Closures And Contra-Flows	69
725X Signs For Lane Closures & Contra-Flows	71
729X Signs For Lane Closures & Contra-Flows	75
730X Signs For Road Works Entrances And Exits	76
740X Signs Mounted On Road Works Vehicles	77
86X87X Lane Gains.....	81
877X Appropriate Traffic Lanes For Manoeuvres At Junction Ahead.....	82
 ROUTE DIVERSION RELATED.....	 83
Chapter 8	91
Symbols And Coning	93
English - Welsh Dual Language Signs.....	96
Welsh – English Dual Language Signs	110
Introduction To Schematic Segmented Layouts.....	124
Single Carriageway Wizard.....	125
Dual Carriageway Wizard.....	125
Introduction To TSAM's (Traffic Safety And Management).....	126

Introduction

CONE 10 UK is a software tool that is used extensively throughout the UK temporary traffic management industry to aid the preparation of traffic control diagrams and route diversion schemes. CONE covers all aspects of temporary traffic control from pedestrian footways through to multi-lane motorway contraflows

CONE 10 UK is available either as a standalone package or a plug-in system for AutoCAD R2004 and above.

The folder structure of the CONE 10 library is the same for all versions of CONE and is accessed from within the parent CAD application via the CONE10UK pull down menu

CONE naturally divides into three interchangeable library types:

- Signs & Symbols
- Segmented Layouts (2 Lane and Dual Carriageways)
- TSAM'S (Traffic Safety And Management – Standard detail drawings)

This manual covers the Signs & Symbols Library and an index to the Segmented Layouts and TSAM's and has been compiled with the production of diagrammatic temporary traffic management drawings in mind. The actual sizes of all of the signs and symbols are ideal for importing into A4 and A3 drawings at 1:1 scale.

Whilst using CONE , you are strongly recommended to keep a copy of Chapter 8 as well as a copy of the current edition, with all amendments, of the Traffic Signs Regulations and General Directions (or relevant document for Wales, Scotland or Northern Ireland) to hand.

CONE is inherently a simple package to use. Most of the work required to complete a temporary traffic management layout can be achieved by importing and positioning the appropriate sign, symbol or layout via the CONE10UK pull down menu, therefore detailed explanations of the use of your CAD system's commands are not given in this manual - please refer to your system manual or the separate CONE: Getting Started - Tutorials.

Before installing CONE 10 UK onto your computer, please refer to the CONE: Installation Guide

For all the latest news on CONE please visit our web site at www.conesoftware.com

Peter Booth
CADaptor Solutions
www.cadaptor.co.uk

Carriageways and Junctions

The Carriageways and Junctions library contains various roads, bends, straights and junctions that you can "snap" together to build quite complex road layouts.


To access the Carriageways and Junctions library either use the **Cone10UK** pull down menu **Schematic Diagrams > Basic Roads & Junctions** or enter **UKROADS** at the CAD command line prompt. A file selection box will then be presented.

Select the desired file and click the Open button to start the CONE file insertion routine


CONE 10 UK – SIGNS & SYMBOLS - CARRIAGEWAYS & JUNCTIONS

The **Carriageways and Junctions** library is large (over 500 files) and is subdivided into the following folders, the images shown here are only typical of the content of each sub-folder.


3 Way




4way




Bends




D2 Grade Separated




D3 Grade Separated



D4 Grade Separated




Level Crossings




CONE 10 UK – SIGNS & SYMBOLS - CARRIAGEWAYS & JUNCTIONS


Miscellaneous



S3 Grade Separated




Slip Roads



Straights



Transitions



Frequently Used Signs


The Frequently Used library contains various frequently used signs.

To access the Frequently Used library either use the **Cone10UK** pull down menu **Sign Search/Browse/Insert...** and choose the FREQUENT category, or enter **CFREQUENT** at the CAD command line prompt.

A file selection box will then be presented. Select the desired file and click the Open button to start the CONE file insertion routine.



517L



517R



543

Part time
signals

543-1




543-2

1 mile


572A

400 yds

572B




572AL




572AR



573L




573R



610L



610R



645



7001



7105A



7105B



7301A



7301B



7302

USERS OWN LIBRARY

The Users Own library is an empty folder (at installation time) provided for users to store their own files To access the Users Own library either use the **Cone10UK** pull down menu **Sign Search/Browse/Insert...** then select the USER category or enter **CUSER** at the CAD command line prompt.

A file selection box will then be presented

Select the desired file and click the Open button to start the CONE file insertion routine


Note! The user folder is named USER and is one level down from the CONE10UK installation folder.

Sign Wizards


The Cone Sign Wizards enable you to create custom signs. To access the Sign Wizards either use the **Cone10UK** pull down menu **Sign & Leader Tools > Cone Sign Wizard...** or enter **CWIZARDS** at the CAD command line prompt. A dialog box will then be presented Double click one of the icons to load the appropriate wizard.

Warning! Due to the flexible nature of the CONE sign wizards it is quite easy to create **non-prescribed signs** and it is the responsibility of the creator to ensure that all signs produced with the sign wizard are **fit for purpose**.


Note! The CONE “**Getting Started – Tutorials**” manual covers the subject of sign wizards in much greater detail.




The **Single Plates** wizard enables the creation of information and directional signs similar to the signs found in the REG_53, 2X and 70X libraries




The **Double Plates** wizard enables the creation of double plate type information and directional signs similar to the signs found in 2X library



The **Left Chevrons** wizard enables the creation of directional signs similar to the signs found in the 2X library



The **Right Chevrons** wizard enables the creation of directional signs similar to the signs found in the 2X library



The **Contraflows** wizard enables the creation of signs for lane closures and contraflows similar to the signs in the 720X Library

REG_53 Regulation 53 Signs

The REG_53 library contains various Regulation 53 signs. To access the REG_53X library either use the **Cone10UK** pull down menu **Sign Search/Browse/Insert...** then select the REG_53 category, or enter **REG_53X** at the CAD command line prompt.

A file selection box will then be presented. Select the desired file and click the Open button to start the CONE file insertion routine.



DRIVERFEEDBACK



DRIVERFEEDBACK2



MERGEINTURNMWAY01



MERGEINTURNMWAY02



MERGEINTURNTRUNK0
1



MERGEINTURNTRUNK01



7239D



7239D_B



7239D_BSPEED



7239D_T



7239D_T_BSPEED



7239D_TB



7239E



7239E_B

CONE 10 UK - SIGNS & SYMBOLS – SIGNS – REG_53



7239E_BSPEED



7239E_T



7239E_T_BSPEED



7239E_TB



7239F



7239F_B



7239F_BSPEED



7239F_T



7239F_T_BSPEED



7239F_TB



REG53_2_CIRCLE



REG53_2_DIAMOND



REG53_2_SQUARE



REG53_2_TRIANGLE



REG53_2A



REG53_2B




REG53_3



REG53_3_CIRCLE




REG53_3_DIAMOND



REG53_3_SQUARE

CONE 10 UK - SIGNS & SYMBOLS – SIGNS – REG_53




REG53_3_TRIANGLE




REG53_3A




REG53_3B




REG53_3C_3D




REG53_3C_3S




REG53_3C_3T



REG53_3D_3C




REG53_3C_3S




REG53_3C_3T




REG53_3R




REG53_3S_3C




REG53_3S_3D




REG53_3S_3T



REG53_3T_3C



REG53_3T_3D



REG53_3T_3S



REG53_4



REG53_4_CIRCLE




REG53_4_DIAMOND



REG53_4_SQUARE

CONE 10 UK - SIGNS & SYMBOLS – SIGNS – REG_53




REG53_4_TRIANGLE




REG53_4A




REG53_4B




REG53_4C_3D




REG53_4C_3S




REG53_4C_3T




REG53_4C_4D




REG53_4C_4S




REG53_4C_4T




REG53_4D_3C




REG53_4D_3S




REG53_4D_3T



REG53_4D_4C



REG53_4D_4S




REG53_4D_4T




REG53_4R


CONE 10 UK - SIGNS & SYMBOLS – SIGNS – REG_53




REG53_4S_3C




REG53_4S_3D




REG53_4S_3T




REG53_4S_4C




REG53_4S_4D




REG53_4S_4T




REG53_4T_3C




REG53_4T_3D




REG53_4T_3S



REG53_4T_4C




REG53_4T_4D




REG53_4T_4S




REG53_5




REG53_5_CIRCLE




REG53_5_DIAMOND




REG53_5_SQUARE




REG53_5_TRIANGLE



REG53_5A




REG53_5B




REG53_5C_4D


CONE 10 UK - SIGNS & SYMBOLS – SIGNS – REG_53




REG53_5C_4S




REG53_5C_4T




REG53_5C_5D




REG53_5C_5S




REG53_5C_5T




REG53_5D_4C




REG53_5D_4S




REG53_5D_4T



REG53_5D_5C




REG53_5D_5S




REG53_5D_5T

This road
will be closed
next Wednesday
from
22:20 to 6:30


REG53_5R




REG53_5S_4C



REG53_5S_4D




REG53_5S_4T




REG53_5S_5C


CONE 10 UK - SIGNS & SYMBOLS – SIGNS – REG_53




REG53_5S_5D




REG53_5S_5T




REG53_5S_4C




REG53_5T_4D




REG53_5T_4S




REG53_5T_5C




REG53_5T_5D



REG53_5T_5S




REG53_6




REG53_6A




REG53_6B




REG53_6R




REG53RAL



REG53RAR



REG53YAL




REG53YAR


TVMS Temporary Variable Message Signs

The TVMS library contains various temporary variable message signs. To access the PVMS library either use the **Cone10UK** pull down menu **Sign Search/Browse/Insert...** then select the TEMPORARY_VMS category, or enter **CTVMS** at the CAD command line prompt.


A file selection box will then be presented (see below). Select the desired file and click the Open button to start the CONE file insertion routine.



LP15_HAZARD



LP15_LEFT



LP15_RIGHT

PVMS Permanent Variable Message Signs

The PVMS library contains various permanent variable message signs. To access the PVMS library either use the **Cone10UK** pull down menu **Sign Search/Browse/Insert...** then select the PERMANENT_VMS category or enter **CPVMS** at the CAD command line prompt.
A file selection box will then be presented (see below). Select the desired file and click the Open button to start the CONE file insertion routine.



CMS1LINE



CMS1LINEFLASHER



CMS1LINEWIDE




CMS2LINES



CMS2LINESFLASHER



CMS2LINESWIDE




CMS3LINES




CMS3LINESFLASHER




CMS3LINEWIDE




Matrix




MS4_001




MS4_002




MS4_003




MS4_004




MS4_005




MS4_006




MS4_007




MS4_008



MS4_009




MS4_010




MS4_011


CONE 10 UK – SIGNS & SYMBOLS - SIGNS - PVMS




MS4_012




MS4_013




MS4_014




MS4_015




MS4_016



MS4_017



MS4_018



MS4_020



MS4_021



MS4_022




MS4_023




MS4_024



MS4_025



MS4_026




MS4_027




POLVIS1



POLVIS2



POLVIS3



POLVIS4

2X Temporary And Emergency Directional Signs

The 2X library contains temporary and emergency directional signs. To access the 2X library either use the **Cone10UK** pull down menu **Sign Search/Browse/Insert...** then select the 2X category or enter **C2X** at the CAD command line prompt. A file selection box will then be presented (see below). Select the desired file and click the Open button to start the CONE file insertion routine.

Note: *A comprehensive section specifically aimed at route diversion schemes and road closures can be found in the Route Diversion Related library.*

CONE 10 UK - SIGNS & SYMBOLS - SIGNS - 2X



2702A



2702ARL



2702ARLU



2702ARR



2702ARRU



2702TEXT



Diverted traffic



Diverted traffic



Diverted traffic



2703AR



2703L



Diverted traffic



Diverted traffic




2704L



2704R



2706A



2706L



2706R



2706R5



2706RM5



2706R6



2706RM6



2707L1X



2707L2X



2707L3X



2707R1X

CONE 10 UK - SIGNS & SYMBOLS - SIGNS - 2X




2707R2X

2707R3X


2705 Variants




2705



2705A1X




2705A2X




2705A3X




2705A4X




2705A5X




2705A6X



2705AL1X



2705AL2X




2705AL3X



2705AL4X




2705AL5X



2705AL6X




2705AR1X



2705AR2X




2705AR3X



2705AR4X



2705AR5X



2705AR6X



2705L1X



2705L2X



2705L3X




2705L4X



2705L5X

CONE 10 UK - SIGNS & SYMBOLS - SIGNS - 2X




2705L6X

2705R1X

2705R2X


2705R3X



2705R4X




2705R5X




2705R6X


With route symbol type 1




2703AD1




2703ALD1



2703ARD1




2703LD1



2703RD1




2703UD1




2704LD1




2704RD1



2716AD1




2716ALD1




2716ARD1



2716D1







2716LD1




2716RD1

With route symbol type 2




CONE 10 UK - SIGNS & SYMBOLS - SIGNS - 2X

2703AD2




2703RD2

2703ALD2




2703UD2

2703ARD2



2704LD2


2703LD2



2704RD2


M1 North Closed

Alternative route
follow




M1 North Closed

Alternative route
follow




M1 North Closed

Alternative route
follow



Road closed

To rejoin
follow



2716AD2

2716ALD2

2716ARD2

2716D2


M1 North Closed

Alternative route
follow



M1 North Closed


Alternative route
follow




2716LD2

2716RD2

With route symbol type 3




2703AD3




2703ALD3




2703ARD3




2703LD3




2703RD3



2703UD3



2704LD3



2704RD3

M1 North Closed

Alternative route
follow




M1 North Closed

Alternative route
follow



M1 North Closed

Alternative route
follow



Road closed

To rejoin
follow




2716AD3


2716ALD3

2716ARD3

2716D3



2716LD3




M1 North Closed

Alternative route
follow


2716RD3

CONE 10 UK - SIGNS & SYMBOLS - SIGNS - 2X


With route symbol type 4




2703AD4




2703ALD4




2703ARD4




2703LD4




2703RD4




2703UD4




2704LD4




2704RD4



2716AD4




2716ALD4




2716ARD4



2716D4




2716LD4




2716RD4


With route symbol type 5




2703AD5




2703ALD5



2703ARD5




2703LD5




2703RD5




2703UD5




2704LD5




2704RD5



2716AD5



2716ALD5




2716ARD5




2716D5

CONE 10 UK - SIGNS & SYMBOLS - SIGNS - 2X




2716LD5




2716RD5

With route symbol type 6




2703AD6




2703ALD6




2703ARD6



2703LD6




2703RD6




2703UD6




2704LD6




2704RD6



2716AD6




2716ALD6




2716ARD6



2716D6




2716LD6




2716RD6

CONE 10 UK - SIGNS & SYMBOLS - SIGNS - 2X

With route symbol type 7




2703AD7




2703ALD7



2703ARD7




2703LD7




2703RD7




2703UD7




2704LD7




2704RD7



2716AD7




2716ALD7




2716ARD7



2716D7




2716LD7




2716RD7


With route symbol type 8




2703AD8




2703ALD8




2703ARD8




2703LD8




2703RD8




2703UD8




2704LD8




2704RD8



2716AD8



2716ALD8




2716ARD8




2716D8

CONE 10 UK - SIGNS & SYMBOLS - SIGNS - 2X



2716LD8



2716RD8



2901A



2901B



2922



2931



2932



2708L



2708R



2708VL



2708VR



2031A



2031B



2031C



2031D



2129A



2129B



2129C




2129D


5X Warning Signs

The 5X library contains various warning signs, to access the 5X library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 5X category enter **C5X** at the CAD command line prompt.


A file selection box will then be presented. Select the desired file and click the Open button to start the CONE file insertion routine.




501



504-1



504-1AL



504-1AR



505-1L



505-1R



506-1AL



506-1AR




506-1L



506-1R



507-1AL



507-1AR



507-1L



507-1R



510



511

CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 5X



511V



512-1L



512-1R



512-2L



512-2R



512L



512R



513-2



513L




513R



515L



515R



516




517L



517R



518



Single track
road

519



520



521



522



523-1



524-1



528



529


CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 5X



530



531-1



531-2



543-1



543-2



543



544-1



544-2



544



545



546



547-1



547-2



548




549




550



551



552



553



554-1



554-2



554A



554B



554C

CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 5X



554D



556-1



556



557




558




559



562



563A



563B



563C



563D




563E




563F



563G



563H



563J




563K




563L




563M



570




572A



572B



573AL




573AR



573L



573R



583-1



583

Queues
likely

584-1



508



509

6X

Regulatory Signs

The 6X library contains various regulatory signs, to access the 6X library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 6X category or enter **C6X** at the CAD command line prompt.


A file selection box will then be presented. Select the desired file and click the Open button to start the CONE file insertion routine.




601-1




602




606L




606R




607




609L




609R




610L



610R



611-1



611




612




613



614




615



616

CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 6X



617




622-1AA




622-1AB



625-1




626-2A




626-2B



626-2C



626-2D



626-2E



626-2F



626-2G

Except empty vehicles

627-1



End



652



670



671



670SpeedAwareness1



6701



6711

Give way to
oncoming
vehicles

615-1

Dual
carriageway

608

Except for
access

620



667-1L01

7X Signs For Railway And Tramway Level Crossings

The 7X library contains signs for railway and tramway level crossings. To access the 7X library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 7X category or enter **C7X** at the CAD command line prompt.


A file selection box will then be presented. Select the desired file and click the Open button to start the CONE file insertion routine.




7104L




7104R



7105A




7105B



770




771



772




773



773D




773DL



773DR



773L




773R



774




775




775A



775B



778




778-1



779

CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 7X



780A



780AV




782



783A



763B



784-1




789-1L



789-1R



789-2L



789-2R



789L




789R



790



790A



3014A

8X

Miscellaneous Informatory Signs

The 8X library contains miscellaneous informative signs. To access the 8X library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 8X category or enter **C8X** at the CAD command line prompt.

A file selection box will then be presented. Select the desired file and click the Open button to start the CONE file insertion routine.




801



810L



810R



811

Priority over
oncoming
vehicles

811-1



814-1A



814-1B



814-2A



814-2B



814-2C



814-2D



814-3A



814-3B



814-4A



814-4B




814-4C


CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 8X




814-4D




816

Escape lane
200 ydsEscape lane
200 yds


817L



817R



817VL



817VR



818




818-1



818-1A1



818-1A2




820-1A



820-1B



820-1C



820A



820AL



820AR



820B



820BL



820BR



820C



820CL



820CR

Unsuitable
for HGVs

820D

Unsuitable
for HGVs



820DL

Unsuitable
for HGVs



820DR

Unsuitable
for wide
vehicles

820E

Unsuitable
for wide
vehicles



820EL

Unsuitable
for wide
vehicles



820ER

Unsuitable
for long
vehicles

Unsuitable
for long
vehicles



820FL

Unsuitable
for long
vehicles



820FR

Unsuitable
for
articulated
vehicles



820G

Unsuitable
for
articulated
vehicles



820GL

Unsuitable
for
articulated
vehicles



820GR

Unsuitable
for trailers

820H

Unsuitable
for trailers



820HL

Unsuitable
for trailers



820HR

Unsuitable
for buses

820I

Unsuitable
for buses



820IL

Unsuitable
for buses



820IR

Single
track
road
with
passing
places

821A

Single
track
road
Use
passing
places
to permit
overtaking

821B

Single
track
road
No
passing
places for
500 yds

821C

Single
track
road
No
passing
places for
 $\frac{3}{4}$ mile

821D


Single
track
road
No
passing
places for
 $2\frac{3}{4}$ miles

821E

PASSING
PLACE

822

CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 8X



823AL



823AR



823BL




823BR



823CL



823CR



824AL




824AR



824BL




824BR




824CL




824CR




825AL




825AR




825BL



825BR



825CL



825CR



No A & E

A & E
not 24 hrs

827-2



827-2V



827-3



827-3V



829-1



829-2



829-3



829-4



829-5



829-6



830-1



830-1A



830-1B



830-1C



830-2



830-3



830-3A



830-3B



830



830A




830B



831-2A



831-2B



831



831A



831B



832-1A



832-1AV



832-2A

CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 8X



832-3A



832-3B



832-3C



832-4A



832-4B



832-4C



832-4D



832-4E



832-4F



832-5A



832-5B



832-5C



832-6A



832-6B



832-6C



832-6D



832-6E



832-6F



832-6G



832-6H



832-6I



832-6J



832-7A



832-7B

CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 8X



832-7C



832-7D



832-7E



832-7F



832-7G



832-7H



832-7I



832-7J



832-8A



832-8B



832-8C




832-9L



832-9R



832-10A




832



832A



832B



833



834



835



836



878A



878AV



878B


CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 8X



878BV



878C



878CV



878D



878DV



878E




878EV



878F



878FV



878G




878GV




878H



878HV



879



880



883



950



EMT_S1



EMT_S2




EMT_S3




NP829_8



NP829_9



NP878_11



NP880_1

CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 8X



WHEP829-1C




WHEP829-1E




WHEP829-2C



WHEP8292E



WHEP829-3C



WHEP829-3E



WHEP829-4C



WHEP829-4E

9X

Buses And Cyclists

The 9X library contains signs for buses and cyclists.

To access the 9X library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 9X category or enter **C9X** at the command line prompt.

A file selection box will then be presented. Select the desired file and click the Open button to start the CONE file insertion routine



950

Child cycle tests**Child cycle training****Cycles crossing**


950-1D




951



952




953-1A



953-1B




953-1C



953-2



953-3



953A



953B



taxi



taxi



953C



taxi



taxi

CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 9X

953E

953F

953G

953H

Except
local buses

Except
buses and
cycles

Except
local buses
and cycles

Except
buses and
taxis

954-2

954-3A

954-3B

954-3C

Except
local buses
and taxis

Except
buses, taxis
and cycles

Except local
buses, taxis
and cycles

Except
cycles

954-3D

954-3E

954-3F

954-4

Except
buses



954

955

956

957A



957B



965

CYCLISTS
DISMOUNT

966

50X


Lane Control Signals And Signs For Tidal Flow

The 50X library contains signs for lane control signals and signs for tidal flow.


To access the 50X library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 50X category or enter **C50X** at the command line prompt.

A file selection box will then be presented.


Select the desired file and click the Open button to start the CONE file insertion routine




5001-1




5001-2




5003-1




5003




5005-1L



5005-1R




5005L



5005R



5010A



5010B



5011A



5011B




5012



5013A




5013B



5014A

CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 50X



5014B



5014C



5014D



5014E



5015



7301A



7301B



7301C



7302



7303



7304L



7304R



7305L



7305R



7306L



7306R



7307

70X Miscellaneous Warning, Informatory And Regulatory Signs

The 70X library contains miscellaneous informative signs. To access the 70X library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 70X category or enter **C70X** at the CAD command line prompt.


A file selection box will then be presented. Select the desired file and click the Open button to start the CONE file insertion routine.

Line painting 7001-1A	Grass cutting 7001-1B	Tree cutting 7001-1C	Hedge cutting 7001-1D
Ditching 7001-1E	Weed spraying 7001-1F	Sign erection 7001-1G	Sign maintenance 7001-1H
Lighting maintenance 7001-1J	Overhead works 7001-1K	On slip road 7001-1L	Surveying 7001-1M
Mobile road works 7001-1N	Road sweeping 7001-1P	Gully emptying 7001-1Q	Gritting 7001-1R
Salting 7001-1S	Blasting 7001-1T	On hard shoulder 7001-1U	Snow ploughing 7001-1V
At level crossing 7001-1W	On M1 Northbound 7001-2	WORKFORCE IN ROAD SLOW 7001-3A	SETTING OUT ROAD WORKS AHEAD 7001-3B


CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 70X




7001



Expect delays



Delays possible



Delays possible

7002-1A


7002-1B

7002A1




Major road works
Junction 35
Delays possible

7002A2




Major road works
between
J32 & J34
Delays possible

7002A3



Major road works
on A6178
between
A654 & A6138
Delays possible

7002A4




Major road works
on M25
between J6 and J13

7002A5




Major road works
at Junction 35

7002A6




Major road works
between
J32 & J34

7002A7




Major road works
on A6178
between
A654 & A6138

7002A8



M4(E)
Junction 16 to 15
Night closures
Sat 11 & Sun 12 May

7002B1



This slip road
will be closed
on Wednesday
night from
22:30 to 06:30

7002B2



Slip road closed
nightly
22:30 to 06:30
from 22 Sept
for 3 weeks

7002B3



HIGHWAYS
AGENCY
WORK STARTS
HERE
24 MAY
FOR 10 WEEKS
Delays possible

7003-1



Work starts
here
24 November
for 10 months

7003-1P



Work starts
here
24 November
for 10 months
Delays possible

7003-1Q



Somewhereshire
Borough Council
Work starts
here
24 November
for 10 months

7003-1R



Extown City Council
Work starts
here
24 November
for 10 months

7003-1S



Replacing
damaged
bridge
supports
2 miles

7004A



Repairs to
worn out
surface
2 miles

7004B



Installing
new
drainage
system
For
2 miles

7004C



Installing
new
lighting
For
2 miles

7004D

CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 70X



7005A



7005B



7005c




7006-1




7006



7007-1



7007-1A



7007-1B



7008



7009



7010A



7010B



7010C



7010d



7010E



7010f




7010g



7010h



7010j



7010k



7011-1a



7011-1b



7011A



7011B

CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 70X

NO ROAD
MARKINGS
FOR
2 MILES

7012A

NO
GIVE WAY
MARKINGS

7012b

NO
STOP
MARKINGS

7012c

NO
ROAD
MARKINGS

7012d

NO ROAD
MARKINGS
AT
JUNCTION

7012e

NO ROAD
MARKINGS
AT LEVEL
CROSSING

7012f

NO ROAD
STUDS
FOR
2 MILES

7012g

RAMP

7013

NO HARD
SHOULDER FOR
400 yds

7015A

SETTING OUT
ROADWORKS
AHEAD

7015b

CROSSING
NOT
IN USE

7016

PEDESTRIANS
LOOK
LEFT

7017L

PEDESTRIANS
LOOK
RIGHT

7017r

CYCLISTS
DISMOUNT
AND USE
FOOTWAY

7018-1

PEDESTRIANS



7018al

PEDESTRIANS


7018ar

PEDESTRIANS
USE OTHER
FOOTWAY

7018B



7019

SIGN NOT
IN USE



SIGN
NOT
IN USE

7020B

SIGNAL NOT
IN USE

7020C

SIGNAL
NOT
IN USE

7020D

SIGN
UNDER
TEST

7020E

SIGNAL
UNDER
TEST

7020F

CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 70X



7021



7022



7023



7024



7025



7026



7027A



7027B



7028A



7028B



7029



7030a



7030L



7030r



7031



7032



S7006



7003-1A



7003-1B



7006-1A1




7010L



7027C




7028C



7004C

CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 70X



7004D



7008A

720X Signs For Lane Closures And Contra-Flows


The 720X library contains signs for lane closures and contra flows at road works. The library is quite large and is subdivided into the following sub groups: -
7201, 7202, 7203, 7204, 7205, 7206, and 7207.

To access the 720X library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 720X category or enter **C720X** at the CAD command line prompt.

In either case a file selection box will be presented
Select the desired sub-folder to be presented with a list of signs available

7201

Restrictions ahead on motorway owing to road works




The 7201 library contains 36 variations of the base sign shown on the left. The text in the centre panel can be freely changed to suit local conditions and the text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

TABLE OF COMBINATIONS					
Top panel	None	7262	7263	7264	
Bottom panel	7270	7270	7271	7271	
7271	7271	None	7275		
7275			None		
None					

To access the 7201 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 720X category or enter **C720X** at the CAD command line prompt

7202

Lanes of a dual carriageway closed to traffic ahead




The 7202 library contains 26 variations of the base sign shown on the left. The text in the bottom panels can be freely changed.

To access the 7202 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 720X category or enter **C720X** at the CAD command line prompt

7203


Lanes of carriageway open to traffic with off side contra-flow working



The 7203 library contains 8 variations of the base sign shown on the left. The text in the bottom panels can be freely changed.

To access the 7203 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 720X category or enter **C720X** at the CAD command line prompt

7204




Lanes open to traffic, one of which uses the hard shoulder

The 7204 library contains 6 variations of the base sign shown on the left. The text in the bottom panels can be freely changed.

To access the 7204 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 720X category or enter **C720X** at the CAD command line prompt

7205




Lanes of carriageway open to traffic

The 7205 library contains 6 variations of the base sign shown on the left. The text in the bottom panels can be freely changed.

To access the 7205 library either use the **Cone10UK** pull down menu **Traffic Signs > Signs 720X** or enter **C720X** at the CAD command line prompt

7206




Centre or nearside lane of a three / four lane single carriageway road closed with traffic on the off side of the works traveling in the opposite direction

The 7206 library contains 5 variations of the base sign shown on the left. The text in the bottom panels can be freely changed.

To access the 7206 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 720X category or enter **C720X** at the CAD command line prompt

7207



Right hand lanes of a three / four lane dual carriageway closed ahead, traffic may use left hand lanes and hard shoulder now

The 7207 library contains 30 variations of the base sign shown on the left. The text in the bottom panels can be freely changed.

To access the 7207 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 720X category or enter **C720X** at the CAD command line prompt

721X Signs For Lane Closures And Contra-Flows

The 721X library contains signs for lane closures and contra flows at road works. The library is quite large and is subdivided into the following sub groups: -
7211, 7212, 7213, 7214, 7215, 7216, 7217 and 7218.

To access the 721X library either use the pull down menu **Sign Search/Browse/ Insert...** then select the 721X category or enter **C721X** at the CAD command line prompt.

In either case a file selection box will be presented. Select the desired sub-folder to be presented with a list of signs available

7210




Diversion of two traffic lanes to the other carriageway, with vehicles over 6'-6" wide prohibited from the right hand lane

The 7210 library contains 54 variations of the base sign shown on the left. Any text in the centre panel can be freely changed to suit local conditions and the text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

TABLE OF COMBINATIONS					
Top panel	None		7263	7264	
Bottom panel	7271		7271	7271	
	7275		7274	7275	
	None		7275	None	
			None		

To access the 7210 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 721X category or enter **C721X** at the CAD command line prompt

7211



Diversion of the two lanes open to traffic; the left hand lane uses the hard shoulder, and the right hand lane which is subject to a width restriction goes to the other carriageway

The 7211 library contains 53 variations of the base sign shown on the left. Any text in the centre panel can be freely changed to suit local conditions and the text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

TABLE OF COMBINATIONS					
Top panel	None	7260	7262	7263	7264
Bottom panel	7271	7272	7271	7271	7271
		7274			
		7275			
		None			

To access the 7211 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 721X category or enter **C721X** at the CAD command line prompt

CONE 10 UK - SIGNS & SYMBOLS - SIGNS – 721X

Diversion of two right hand lanes of three lanes open to traffic to the other carriageway of a motorway

7212



The 7212 library contains 73 variations of the base sign shown on the left. Any text in the centre panel can be freely changed to suit local conditions and the text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

Top panel	None	7262	7263	7264
	7271	7271	7271	7271
Bottom panel	7272		7272	7272
	7275		7274	7275
None		7275	None	

To access the 7212 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 721X category or enter **C721X** at the CAD command line prompt

7213

Diversion of two lanes open to traffic; the left hand lane moves to the right hand side of the carriageway, and the right hand lane goes to the other carriageway



The 7213 library contains 27 variations of the base sign shown on the left. Any text in the centre panel can be freely changed to suit local conditions and the text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

TABLE OF COMBINATIONS					
Top panel	None		7262	7263	7264
	7271		7271	7271	7271
Bottom panel	7272			7272	7272
	7275			7274	7275
None				7275	None

To access the 7213 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 721X category or enter **C721X** at the CAD command line prompt

7214




Diversion of left hand lane from original carriageway to join right hand lane already diverted to the other carriageway

The 7214 library contains 30 variations of the base sign shown on the left. Any text in the centre panel can be freely changed to suit local conditions and the text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

Top panel	None	7263	7264
	7271	7271	7271
Bottom panel	7272	7274	7275
	7275	7275	7275
	None	None	None

To access the 7214 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 721X category or enter **C721X** at the CAD command line prompt

7215




Two lanes open to traffic return to original carriageway

The 7215 library contains 42 variations of the base sign shown on the left. Any text in the centre panel can be freely changed to suit local conditions and the text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

Top panel	None	7263	7264
	7271	7271	7271
Bottom panel	7275	7274	7275
	None	7275	None
		None	

To access the 7215 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 721X category or enter **C721X** at the CAD command line prompt

7216



Right hand lane returns to right hand side of original carriageway ahead, but remains separated by works area from left hand lane

The 7216 library contains 30 variations of the base sign shown on the left. Any text in the centre panel can be freely changed to suit local conditions and the text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

Top panel	None	7263	7264
	7271	7271	7271
Bottom panel	7275	7274	7275
	None	7275	None
		None	

To access the 7216 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 721X category or enter **C721X** at the CAD command line prompt

7217

Left hand lane returns from right hand side of original carriageway to left hand side ahead and right hand lane returns from other carriageway to right hand side of original carriageway



The 7217 library contains 44 variations of the base sign shown on the left. Any text in the centre panel can be freely changed to suit local conditions and the text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

Top panel	None	7263	7264
	7271	7271	7271
Bottom panel	7275	7274	7275
	None	7275	None
		None	

To access the 7217 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 721X category or enter **C721X** at the CAD command line prompt

7218

Left hand lane returns from other carriageway to original carriageway ahead; right hand lane continues on other carriageway



The 7218 library contains 32 variations of the base sign shown on the left. Any text in the centre panel can be freely changed to suit local conditions and the text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

Top panel	None	7262	7263	7264
	7271	7271	7271	7271
Bottom panel	7272		7272	7272
	7275		7274	7275
	None		7275	None

To access the 7218 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 721X category or enter **C721X** at the CAD command line prompt

722X Signs For Lane Closures And Contra-Flows

The 722X library contains signs for lane closures and contra flows at road works. The library is subdivided into the following sub groups: -
7220, AND 7221,

To access the 722X library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 722X category or enter **C722X** at the CAD command line prompt.

In either case a file selection box will be presented (see below)

Select the desired sub-folder to be presented with a list of signs available.

7220

Destinations reached from a junction where traffic is in contra-flow on other carriageway of a motorway




The 7220 library contains 12 variations of the base sign shown on the left. The text in the centre panel can be freely changed to suit local conditions and the text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

Top panel	None
	7270
Bottom panel	7271
	None

To access the 7220 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 722X category or enter **C722X** at the CAD command line prompt

7221

Sharp bends ahead where traffic is diverted onto a temporary road for a short distance



The 7221 library contains 42 variations of the base sign shown on the left. The text in the centre panel can be freely changed to suit local conditions and the text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

TABLE OF COMBINATIONS					
Top panel	None	7262	7263	7264	
	7271	7271	7271	7271	
Bottom panel	7275		7274	7275	
	None		7275	None	
			None		

To access the 7221 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 722X category or enter **C722X** at the CAD command line prompt

723X Signs For Lane Closures And Contra-Flows


The 723X library contains signs for lane closures and contra flows at road works. The library is quite large and is subdivided into the following sub groups: -
7230, 7231, 7232, 7233, 7234, 7235, 7236, 7237, 7238 and 7239.

To access the 723X library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 723X category or enter **C723X** at the CAD command line prompt.

In either case a file selection box will be presented

7230

Diversion of traffic from left and centre lanes of a motorway carriageway to use hard shoulder and left hand lane; hard shoulder is to be used by traffic leaving at the junction specified



The 7230 library contains 64 variations of the base sign shown on the left. The text in the centre panel can be freely changed to suit local conditions and the text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

TABLE OF COMBINATIONS						
Top panel	None	7260	7262	7263	7264	
Bottom panel	7271	7272	7271	7271	7271	
		7274				
		7275				
	None					

To access the 7230 library either use the pull down menu **Sign Search/Browse/ Insert...** then select the 723X category or enter **C723X** at the CAD command line prompt

7231

Return of traffic from hard shoulder and left lane of carriageway to left and centre lanes



The 7231 library contains 36 variations of the base sign shown on the left. The text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

TABLE OF COMBINATIONS						
Top panel	None	7261	7262	7263	7264	
Bottom panel	7271	7272	7271	7271	7271	
Bottom panel		7274				
Bottom panel		7275				
Bottom panel		None				

To access the 7231 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 723X category or enter **C723X** at the CAD command line prompt

7232

Return of traffic from hard shoulder and left lanes of carriageway to use two, three or four lanes



The 7232 library contains 20 variations of the base sign shown on the left. The text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

TABLE OF COMBINATIONS		
Top panel	None	7261
Bottom panel	7271	7272
Bottom panel		7275
Bottom panel		None

To access the 7232 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 723X category or enter **C723X** at the CAD command line prompt

7233

Traffic from left hand lane of carriageway of a motorway to use hard shoulder to leave at junction ahead



The 7233 library contains 9 variations of the base sign shown on the left. Any text in the centre panel can be freely changed to suit local conditions and the text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

TABLE OF COMBINATIONS		
Top panel	None	7260
Bottom panel	7271	7272

To access the 7233 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 723X category or enter **C723X** at the CAD command line prompt

7234

Traffic from left hand lane to use hard shoulder ahead; traffic from centre lane to move to right hand side of carriageway




The 7234 library contains 40 variations of the base sign shown on the left. Any text in the centre panel can be freely changed to suit local conditions and the text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

TABLE OF COMBINATIONS					
Top panel	None	7260	7262	7263	7264
Bottom panel	7271	7272	7271	7271	7271
Bottom panel		7274			
Bottom panel		7275			
Bottom panel		None			

To access the 7234 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 723X category or enter **C723X** at the CAD command line prompt

7235

Lanes ahead are narrower than normal; wide vehicles are prohibited from the right hand lane



The 7235 library contains 6 variations of the base sign shown on the left. Any text in the centre panel can be freely changed to suit local conditions and the text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

TABLE OF COMBINATIONS		
Top panel		7264
Bottom panel		7261
Bottom panel		None

To access the 7235 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 723X category or enter **C7235** at the CAD command line prompt

7236

Lanes return to normal width



The 7236 library contains 4 variations of the base sign shown on the left. Any text in the bottom panels can be changed in accordance with the table of combinations shown below...

TABLE OF COMBINATIONS		
Top panel		None
		7271
Bottom panel		None

To access the 7236 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 723X category or enter **C723X** at the CAD command line prompt

7237

Diversion of traffic from left and centre lanes to centre and right hand lanes



The 7237 library contains 16 variations of the base sign shown on the left. Any text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

Top panel	None	7263	7264
	7271	7271	7271
	7275	7274	7275
	None	7275	None
		None	

To access the 7237 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 723X category or enter **C723X** at the CAD command line prompt

7238

Diversion of traffic from centre to right hand lanes



The 7238 library contains 18 variations of the base sign shown on the left. Any text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

TABLE OF COMBINATIONS					
Top panel	None		7262	7263	7264
Bottom panel	7271		7271	7271	7271
	7272			7272	7272
	7275			7274	7275
	None			7275	None

To access the 7238 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 723X category or enter **C723X** at the CAD command line prompt

7239

Traffic diverted from right hand lanes to rejoin centre lane



The 7239 library contains 18 variations of the base sign shown on the left. Any text in the top and bottom panels can be changed in accordance with the table of combinations shown below...

Top panel	None	7263	7264
Bottom panel	7271	7271	7271
	7272	7272	7272
	7275	7274	7275
	None	7275	None

To access the 7239 library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 723X category or enter **C723X** at the CAD command line prompt

724X Signs For Lane Closures And Contra-Flows

The 724X library contains signs for lane closures and contra-flows. To access the 724X library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 724X category or enter **C724X** at the CAD command line prompt. A file selection box will then be presented

Select the desired file and click the Open button to start the CONE file insertion routine



7240A




200 yards

7240A_B




7240B




200 yards

7240B_B




7240c



200 yards

7240C_B




7240D




200 yards

7240D_B




7240E




200 yards

7240E_B



7240f



200 yards

7240F_B



7241




7242

725X Signs For Lane Closures & Contra-Flows

The 725X library contains traffic joining and additional lane signs beginning. To access the 725X library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 725X category or enter **C725X** at the CAD command line prompt.

A file selection box will then be presented. Select the desired file and click the Open button to start the CONE file insertion routine.



7250A



7250A_B



7250B



200 yds
7250B_B



7250C



7250C_B



7250D



200 yds
7250D_B



7250E




7250E_B



7251A




200 yds
7251A_B



7251B




7251B_B



7251C



200 yds
7251C_B




7251D



7251D_B



7251E




200 yds
7251E_B



7252A



7252A_B




7252B



7252B_B




7252C



7252C_B



7252D



7252D_B



7253A



7253A_B



7253B




7253B_B



7253C



7253C_B



7254A



7254A_B



7254B



7254B_B



7254C



7254C_B



7254D



200 yds



7254E



200 yds



7255A



200 yards



7255B



200 yds



7255C



200 yds



7255D



200 yds



7255E



200 yds



7255F



200 yds

729X Signs For Lane Closures & Contra-Flows

The 729X library contains signs for lane closures and contra-flows. To access the 729X library either use the **Cone10UK** pull down menu **Sign Search/Browse/Insert...** then select the 729X category or enter **C729X** at the CAD command line prompt.

A file selection box will then be presented.

Select the desired file and click the Open button to start the CONE file insertion routine



7290




7290-Fraction




7291A




7291B



7292A



7292B



7292C



7293



7294

730X Signs For Road Works Entrances And Exits

The 730X library contains signs for road works entrances and exits. To access the 730X library either use the pull down menu **Sign Search/Browse/ Insert...** then select the 730X category or enter **C730X** at the CAD command line prompt.

A file selection box will then be presented.

Select the desired file and click the Open button to start the CONE file insertion routine



7301A



7301B



7301C



7302



7303



7304L



7304R



7305L



7305R



7306L



7306R




7307

740X Signs Mounted On Road Works Vehicles


The 740X library contains signs mounted on road works vehicles. To access the 740X library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 740X category or enter **C740X** at the CAD command line prompt.

A file selection box will then be presented.


Select the desired file and click the Open button to start the CONE file insertion routine.




7402A1




7402A10




7402A10_B
800 yds




7402A11




7402A11_B
800 yds




7402A12




7402A12_B
800 yds




7402A1_B
450 yds




7402A2




7402A2_B
450 yds




7402A3




7402A3_B
450 yds




7402A4




7402A4_B
450 yds



7402A5




7402A5_B
450 yds



7402A6




7402A6_B




7402A7




7402A7_B




7402A8




7402A8_B




7402A9




7402A9_B




7402_1




7402_1_B




7402_2




7402_2_B




7402_3




7402_3_B




7402_4




7402_4_B




7403LA




7403LB




7403LC




7403RA



7403RB



7403RC



7403RD



7402_3_C



7402_4_C



FIG11-1



FIG11-2



FIG11-3A



FIG11-3B

86X87X Lane Gains


The 86X87X library contains signs for lane gains

To access the 86X87X library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 86X87X category or enter **C86X87X** at the command line prompt.

A file selection box will then be presented.

Note: The library is divided into Blue, Green and White subfolders

Select the desired subfolder then the desired file and click the Open button to start the CONE file insertion routine



The signs shown above are typical of the type of signs in the 86X87X library


There are around 140 variations in Blue, Green and White

877X Appropriate Traffic Lanes For Manoeuvres At Junction Ahead

The 877X library contains signs for appropriate traffic lanes for manoeuvres at junction ahead. To access the 877X library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the 877X category or enter **C877X** at the command line prompt.

A file selection box will then be presented.

Note: The library is divided into Blue, Green and White subfolders
Select the desired subfolder then the desired file and click the Open button to start the CONE file insertion routine



The signs shown above are typical of the type of signs in the 877X library

There are around 340 variations in Blue, Green and White


ROUTE DIVERSION RELATED

The Route Diversion Related library contains a collection of various signs and layouts for the production of route diversion and road closure schemes.


To access the Route Diversion Related library either uses the **Cone10UK** pull down menu **Miscellaneous Tools & Libraries > Route Diversion Related** or type **CDIVERSION** at the CAD command line prompt.

A file selection box will then be presented. Select the desired file and click the Open button to start the CONE file insertion routine.


CONE 10 UK - SIGNS & SYMBOLS – DIVERSION RELATED




Diversion_route_symbol_set_1




Diversion_route_symbol_set_2




Diversion_route_symbol_set_3



Diversion_route_symbol_set_4














Diversion_route_symbol_set_5



Diversion_route_symbol_set_6

CONE 10 UK - SIGNS & SYMBOLS – DIVERSION RELATED



Road closed

To rejoin
follow



Diversion
ends

Road closed

To rejoin
follow

Diversion
ends




Diversion_route_symbol_set_7

Diversion_route_symbol_set_8







Diverted
traffic

Diverted
traffic




Diverted_Traffic_Set



Diverted
wide loads

Diverted
wide loads




Diverted_Wide_Loads_Set

o


CONE 10 UK - SIGNS & SYMBOLS – DIVERSION RELATED



REG53_3




REG53_4




REG53_5

Motorway_diversion_set










REG53_6

Road_Closure_Set




7205SET


CONE 10 UK - SIGNS & SYMBOLS – DIVERSION RELATED




CONE 10 UK - SIGNS & SYMBOLS – DIVERSION RELATED




CONE 10 UK - SIGNS & SYMBOLS – DIVERSION RELATED



close12






close13



close14


CONE 10 UK - SIGNS & SYMBOLS – DIVERSION RELATED




Chapter 8

The Chapter 8 library contains a collection of Chapter 8 detail drawings
To access the Chapter 8 details library either use the **Cone10UK** pull down menu
Miscellaneous Tools & Libraries > Chapter 8 Details... or type **CCHAPTER8** at
the CAD command line prompt.


A file selection box will then be presented.
Select the desired file and click the Open button to start the CONE file insertion
routine.




Detail_a




Detail_b




Detail_c1




Detail_c2




Detail_d




Detail_e1




Detail_e2




Detail_f1




Detail_f2



Detail_g1




Detail_g2



Detail_g3

CONE 10 UK - SIGNS & SYMBOLS – CHAPTER 8


DETAIL H



Detail h

DETAIL J1

Prescribed road marking to Diagram 1004.1 (retroreflective) in materials complying with BS EN 1790




For roads with a permanent speed limit of 40mph or less the marking is to diagram 1004, i.e. 4m mark, 2m gap.

Detail j1

DETAIL J2


Temporary road studs with fluorescent saturn yellow (yellow/green) bodies and unidirectional white reflectors. Not to be used for situations where continual overrunning by traffic is expected



For roads with a permanent speed limit of 40mph or less the marking is to diagram 1004, i.e. 4m mark, 2m gap.


Detail j2

DETAIL K




Notes:
1) Bi-directional reflectors shall be red on the near-side of approaching traffic and amber on the off-side. Uni-directional reflectors shall be amber.

Detail k



DETS



DIM

KEY

- ↳ Traffic sign
 - Traffic cone/cylinder
 - ←→ Traffic signals to Diagram 3000.1
 - [] Traffic signals controller
 - ⊕ Stop/Go board (P7023/P7024)
 - ▣ Temporary reflective road stud
 - High intensity flashing beacon complying with Regulation 54 mounted at a height between 800mm and 1500mm above the road surface
 - Pedestrian barrier
 - ▨ Cable crossing protector
 -  Temporary vehicle restraint barrier

KEY

Symbols And Coning

The Symbols and Coning library contains a collection of various symbols and layouts for the general production of traffic management schemes.

To access the Symbols and Coning library either use the **Cone10UK** pull down menu **Symbols** or type **UKSYMBOLS** at the CAD command line prompt.

A file selection box will then be presented.

Select the desired file and click the Open button to start the CONE file insertion routine.


The library is subdivided into the following folders

- Changeovers - Reverse curve
- Changeovers - Straight
- Cut Lines
- Entry Crossovers
- Exit Crossovers
- Linear Devices
- Single Carriageway Changeovers
- Straight Coning
- Tapers
- Vehicles
- Miscellaneous


CONE 10 UK - SIGNS & SYMBOLS – SYMBOLS & CONING

The **Symbols and Coning** library is large (over 225 files) and is subdivided into the following folders, the images shown here are only typical of the content of each sub-folder.


Changeovers - Reverse Curve




Changeovers - Straight




Cut Lines




Entry Crossovers




Exit Crossovers



Linear Devices



Single Carriageway Changeovers




Straight Coning




CONE 10 UK - SIGNS & SYMBOLS – SYMBOLS & CONING


Tapers



Vehicles



Miscellaneous



English - Welsh Dual Language Signs

The English-Welsh library contains various dual language signs.


To access the English-Welsh library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the English-Welsh category or enter **CENGLISH** at the CAD command line prompt.

A file selection box will then be presented.

Select the desired file and click the Open button to start the CONE file insertion routine.



EW502



EW503




EW511




EW511V




EW513_1



EW513_2



EW518




EW519



EW525




EW526




EW543_1




EW546




EW547_1



EW547_2




EW547_3



EW547_4




EW547_7A



EW547_7B



EW547_7C



EW547_8

CONE 10 UK - SIGNS & SYMBOLS – SIGNS –ENGLISH-WELSH

When
lights show
200 yards
Pan fo'r
golau'n
fflachio
200 llath

EW548_1

Farm traffic
Traffig fferm

EW553_2A

Wide vehicles
Cerbydau llydan

EW553_2B

Tractors turning
Tractorau'n troi

EW553_2C

Accident
Damwain

EW563A

Ambulance
station
Gorsaf
Ambiwlans

EW563B

Blasting
Ffrwydro

EW563C

Census
Cyfrifiad

EW563E

Dust
cloud
Cwmwl
llwch

EW563F

Fallen
tree
Coeden
ar lawr

EW563G

Fire
station
Gorsaf
dân

EW563H

Frost
damage
Difrod
rhew

EW563J

Overhead
line repairs
Trwsio cebbau
uwchben

EW563L

Road
liable to
flooding
Perygl
llifogydd

EW563M

Smoke
Mwg

EW563Q

For
800 yds
Am
800 llath

EW570A

For
1 mile
Am
1 filltir

EW570B

For
2 miles
Am
2 filltir

EW570C

400 yds
400 llath

EW572A

1 mile
1 filltir

EW572B

2 miles
2 filltir

EW572C

Queues
likely
Ciwiau'n
debygol

EW584_1

One way
Unffordd

EW607

Dual
carriageway
Ffordd
ddeuol

EW608

Give way to
oncoming
vehicles
Ildiwrch i
gerbydau
sy'n dod
atoch

EW615_1

End
Diwedd

EW645

Priority over
oncoming
vehicles
Blaenoriaeth
dros gerbydau
sy'n dod atoch

EW811_1

Dual
carriageway
ahead
Ffordd
ddeuol
o'ch blaen

EW818

Average
speed
check
Mesur
cyfartaledd
cyflymder

EWNP878_1A

Average
speed check
Mesur
cyfartaledd cyflymder

EWNP878_1B

Traffic
signal
cameras
Camerâu
goleuadau
traffig

EW878A

Speed
cameras
Camerâu
cyflymder

EW878B

Traffic
signal
and speed
cameras
Camerâu
goleuadau
traffig a
chyflymder

EW878C

Police
cameras
Camerâu
yr heddlu

EW878D

Police
enforcement
cameras
Camerâu
gorfodi'r
heddlu

EW878E

Bus lane
cameras
Camerâu
lôn fysiau

EW878F

Traffic
enforcement
cameras
Camerâu
gorfodi'r
traffig

EW878G

Traffic signal
cameras
Camerâu
goleuadau traffig

EW878H

Speed
cameras
Camerâu
cyflymder

EW878I

Traffic signal and
speed cameras
Camerâu
goleuadau traffig
a chyflymder



EW878J

Police
cameras
Camerâu
yr heddlu

EW878K

Police
enforcement
cameras
Camerâu
gorfodi'r
heddlu

EW878L

Bus lane
cameras
Camerâu
lôn fysiau


EW878M

Traffic
enforcement
cameras
Camerâu
gorfodi'r
traffig




EW878N

CONE 10 UK - SIGNS & SYMBOLS – SIGNS –ENGLISH-WELSH



EW8780



EW878P



EWE878Q



EW953_2



EW954



EW954_4



EW2702A



EW2702AL



EW2702AR



EW2702E



EW2702L



EW2702R



EW2702V



EW2703A



EW2703AL



EW2703AR



EW2703L



EW2703R



EW2703U



EW2704L



EW2704R



EW2932



EW7001_1A



EW7001_1B

Tree cutting
Torri perthi

EW7001_1C

Ditching
Gwaith ffosydd

EW7001_1D

Weed spraying
Chwistrellu chwyn

EW7001_1E

Sign erection
Codi arwyddion

EW7001_1F

Lighting maintenance
Cynnal goleuadau

EW7001_1G

Overhead works
Gwaith uwchben

EW7001_1H

On slip road
Ar y ffordd ymuno

EW7001_1I

On slip road
Ar y ffordd ymadael

EW7001_1J

Surveying
Mesur tir

EW7001_1K

Mobile road works
Gwaith ffordd symudol

EW7001_1L

Road sweeping
Ysgubo'r ffordd

EW7001_1M

Gully emptying
Gwacáu cwteri

EW7001_1N

Gritting
Graeanu

EW7001_1O

Salting
Taenu halen

EW7001_1P

Snow ploughing
Swch eira

EW7001_1Q

Blasting
Ffrwydro

EW7001_1R

CONE 10 UK - SIGNS & SYMBOLS – SIGNS –ENGLISH-WELSH

On hard shoulder
Ar y llain galed

EW7001_1S

At level crossing
Ar y groesfan rheilffordd

EW7001_1T

Sign maintenance
Cynnal arwyddion

EW7001_1U

On M4
Ar yr M4

EW7001_2A

M4
Westbound
M4
Tua'r gorllewin

EW7001_2B

WORKFORCE IN ROAD SLOW
GWEITHLU AR Y FFORDD ARAF

EW7001_3

Night-time works
14 July to 26 July
Gwaith liw nos
14 Gorff i 26 Gorff
Expect delays
Oedi i'w ddisgwyl

EW7002_1A

Night-time works
14 July to 26 July
Gwaith liw nos
14 Gorff i 26 Gorff
Delays possible
Oedi'n bosibl

EW7002_1B

Major road works
on M4
between J44 and J48
Gwaith ffordd pwysig
ar yr M4
rhwng C44 ac C48
Delays possible
Oedi'n bosibl

EW7002A1

Major road works
on M4 at J32
Gwaith ffordd pwysig
ar yr M4 wrth C32
Delays possible
Oedi'n bosibl

EW7002A2

Major road works
at Pontypridd
18 May - 15 June
Gwaith ffordd pwysig
wrth Pontypridd
18 Mai - 15 Mehefin
Delays possible
Oedi'n bosibl

EW7002A3

Major road works
on M4
between J44 and J48
Gwaith ffordd pwysig
ar yr M4
rhwng C44 ac C48

EW7002A4

Major road works
on M4 at J32
Gwaith ffordd pwysig
ar yr M4 wrth C32

EW7002A5

Major road works
at Pontypridd
18 May - 15 June
Gwaith ffordd pwysig
wrth Pontypridd
18 Mai - 15 Mehefin

EW7002A6

M4(E)
Junction 34 to 33
Night closures
Sat 11 & Sun 12 May
M4(Dn)
Cyffordd 34 i 33
Ar gau liw nos
Sad 11 a Sul 12 Mai

EW7002B

Welsh Assembly Government
Llywodraeth Cymru
Work starts here
24 May
for 6 weeks
Gwaith yn dechrau yma
24 Mai am 6 wythnos
Delays possible
Oedi'n bosibl

EW7003_1



Replacing damaged bridge supports
Adnewyddu cynaliadau'r bont
2 miles / 2 filltir

Emergency repairs
Trwsio brys
2 miles / 2 filltir

Essential maintenance
Gwaith cynnal hanfodol
2 miles / 2 filltir

CONE 10 UK - SIGNS & SYMBOLS – SIGNS –ENGLISH-WELSH

EW70043X

EW7004A

EW7004B

EW7004C




EW7004D

EW7004E

EW7004F

EW7004G




EW7004H

EW7004I

EW7004J

EW7004K




EW7004L

EW7004M

EW7004N

EW7004O



EW7004P

EW7005A

EW7005B

EW7005C



CONE 10 UK - SIGNS & SYMBOLS – SIGNS –ENGLISH-WELSH

EW7005D

EW7005E

EW7005F

EW7005G



EW7005H



EW7005I



EW7005J



EW7005K



EW7005L



EW7005M



Welsh Assembly Government
Llywodraeth Cymru



EW7006_1



EW7010A



EW7010B



EW7010C



EW7010D



EW7010E



EW7010F



EW7010G



EW7010H

WORK
IN CENTRE
OF ROAD
GWAITH
AR GANOL
Y FFORDD

EW7010I

ADVERSE
CAMBER
CAMBER
CROES

EW7010J

3-WAY CONTROL
RHEOLAETH 3-FFORDD

WAIT HERE
UNTIL GREEN
LIGHT SHOWS
ARHOSWCH YMA
NES BO'R
GOLAU'N WYRDD

EW7011_1A

4-WAY CONTROL
RHEOLAETH 4-FFORDD

WAIT HERE
UNTIL GREEN
LIGHT SHOWS
ARHOSWCH YMA
NES BO'R
GOLAU'N WYRDD

EW7011_1B

NO ROAD
MARKINGS
FOR 2 MILES
DIM MARCIAU
FFORDD
AM 2 FILLTIR

EW7012A

NO GIVE WAY
MARKINGS
DIM MARCIAU
ILDIWCH
FFORDD

EW7012B

NO STOP
MARKINGS
DIM
MARCIAU
STOP

EW7012C

NO ROAD
MARKINGS
DIM MARCIAU
FFORDD

EW7012D

NO ROAD
MARKINGS
AT JUNCTION
DIM MARCIAU
FFORDD
WRTH Y
GYFFORDD

EW7012E

NO ROAD
MARKINGS
AT LEVEL
CROSSING
DIM MARCIAU
FFORDD WRTH
Y GROESFAN
LEFEL

EW7012F

NEW
ROUNDABOUT
AHEAD
CYLCHFAN
NEWYDD
O'CH BLAEN

EW7014A

CHANGED
PRIORITIES
AHEAD
BLAENORIAETHAU
WEDI'U NEWID
O'CH BLAEN

EW7014B

GAP CLOSED
AHEAD
BWLCH
AR GAU
O'CH BLAEN

EW7014C

NEW
ONE-WAY
SYSTEM
AHEAD
TREFN
UNFFORDD
NEWYDD
O'CH BLAEN

EW7014D

NEW
ROAD LAYOUT
AHEAD
TREFN FFYRDD
NEWYDD
O'CH BLAEN

EW7014E

NEW
TRAFFIC
SIGNALS
AHEAD
ARWYDDION
TRAFFIG
NEWYDD
O'CH BLAEN

EW7014F

SIGNAL
PRIORITIES
CHANGED
AHEAD
BLAENORIAETHAU
ARWYDDION
WEDI'U NEWID
O'CH BLAEN

EW7014G

SIGNAL
TIMINGS
CHANGED
AHEAD
AMSERIADAU
ARWYDDION
WEDI'U NEWID
O'CH BLAEN

EW7014H

NEW
TRAFFIC
ISLANDS
AHEAD
YNYSOEIDD
TRAFFIG
NEWYDD
O'CH BLAEN

EW7014I

NO
SHOULDER
FOR
400 YARDS
DIM LLAIN
GALED AM
400 LLATH

EW7015A

SETTING OUT
ROAD WORKS
AHEAD
GOSOD
GWAITH FFORDD
O'CH BLAEN

EW7015B

CROSSING
NOT IN USE
CROESFAN
SEGUR

EW7016

PEDESTRIANS
LOOK
BOTH WAYS
CERDDWYR
EDRYCHWCH
I'R DDAU
GYFEIRIAD

EW7017B

PEDESTRIANS
LOOK LEFT
CERDDWYR
EDRYCHWCH
I'R CHWITH

EW7017L

PEDESTRIANS
LOOK RIGHT
CERDDWYR
EDRYCHWCH
I'R DDE

EW7017R

PEDESTRIANS
USE OTHER
FOOTWAY
CERDDWYR
DEFNYDDIWCH
Y DROEDFFORDD
ARALL

EW7018

CYCLISTS
DISMOUNT
AND USE
FOOTWAY
BEICWYR
DEWCH ODDI
AR EICH BEIC
A DEFNYDDIO'R
DROETFFORDD

EW7018_1

PEDESTRIANS
CERDDWYR



EW7018L

PEDESTRIANS
CERDDWYR



EW7018R

SIGN
NOT IN USE
ARWYDD
SEGUR

EW7020A

SIGNAL
NOT IN USE
GOLAU
SEGUR

EW7020B

SIGN
UNDER
TEST
ARWYDD
YN CAEL
EI BROFI

EW7020C

SIGNAL
UNDER
TEST
GOLAU
YN CAEL
EI BROFI

EW7020D

 TRAFFIC UNDER
SIGNAL CONTROL
TRAFFIG DAN
REOLAETH
GOLEUADAU



EW7021

JOINING TRAFFIC
NOT SIGNAL
CONTROLLED
TRAFFIG YN YMUNO
NAD YW DAN
REOLAETH
GOLEUADAU

EW7022



EW7024

CONVOY SYSTEM
IN OPERATION
AHEAD
SYSTEM GONFOI
AR WAITH
O'CH BLAEN

CONVOY SYSTEM
TO PROTECT
WORKFORCE
SYSTEM GONFOI
I DDIOGELU'R
GWEITHLU

WHEN RED
LIGHT SHOWS
WAIT HERE
FOR CONVOY
VEHICLE
TRA BO'R
GOLAU'N GOCH
ARHOSWCH YM
AM Y CERBYD
CONFOI

WHEN STOP
SIGN SHOWS
WAIT HERE
FOR CONVOY
VEHICLE
TRA BO'R
ARWYDD STOP
ARHOSWCH YM
AM Y CERBYD
CONFOI

CONE 10 UK - SIGNS & SYMBOLS – SIGNS –ENGLISH-WELSH

EW7025

EW7026

EW7027A

EW7027B

WHEN GREEN
LIGHT SHOWS
FOLLOW
CONVOY VEHICLE
PAN FO'R
GOLAU'N WYRDD
DILYNWCH
Y CERBYD CONFOI

AT
TRAFFIC CONTROL
FOLLOW
CONVOY VEHICLE
WRTH Y MAN
RHEOLI TRAFFIG
DILYNWCH
Y CERBYD CONFOI

CONVOY VEHICLE
NO OVERTAKING
CERBYD CONFOI
DIM
GODDIWEDDYD

Traffic
control
800 yards
Rheolaeth
traffig
800 llath

EW7028A

EW7028B

EW7029

EW7030



EW7031

NEW 30 MPH
SPEED LIMIT
IN FORCE
TERFYN
CYFLYMDER
NEWYDD
O 30 MYA
MEWN GRYM

EW7032

USE HARD
SHOULDER
DEFNYDDIWCH
Y LLAIN GALED

EW7260

REJOIN MAIN
CARRIAGEWAY
AILYMUNWCH
Â'R BRIF LÔN
GERBYDAU

EW7261

GET IN LANE
EWCH I'CH LÔN

STAY IN LANE
CADWCH
AT EICH LÔN

NARROW LANES
LONYDD CUL

1 mile
filltir

EW7262

EW7263

EW7264

EW7270

200 yards
llath

EW7271

Now
Nawr

EW7272

For 2 miles
Am 2 filltir

EW7273

Narrow lanes
Lonydd cul

EW7274

Max speed
Cyflymder
uchaf
30

EW7275A

Max speed
Cyflymder uchaf
30

EW7275B

Any veh
Unrhyw
gerbyd



EW7281



EW7290

CONE 10 UK - SIGNS & SYMBOLS – SIGNS –ENGLISH-WELSH



EW7290_FRACTION




EW7291A




EW7291B



EW7292A



EW7292B




EW7292C



EW7293



EW7294A



EW7294B



EW7301A



EW7301B



EW7301C



EW7302



EW7304A



EW7304AL



EW7304AR



EW7304L



EW7305R



EW7305L




EW7305R



EW7306L



EW7306R



EW7307



EWERW20



EWERW30



EWERW40




EWERW50



EWERW60



EWERWDE




EWMIT-red



EWMIT-yellow



EWQUBL-red



EWQUBL-yellow

Welsh – English Dual Language Signs

The Welsh-English library contains various dual language signs.

To access the Welsh-English library either use the **Cone10UK** pull down menu **Sign Search/Browse/ Insert...** then select the Welsh-English category or enter **CWELSH** at the CAD command line prompt.

A file selection box will then be presented.

Select the desired file and click the Open button to start the CONE file insertion routine.


CONE 10 UK - SIGNS & SYMBOLS – SIGNS – WELSH-ENGLISH

For a complete listing of all the signs available please refer to the English-Welsh section of this manual

The Welsh-English library contains the equivalent signs as per the English-Welsh library except that the signs are prefixed with WE (The English-Welsh signs are prefixed with EW) and the Welsh language part is show first (see below)


Example

ENGLISH-WELSH



EW7004E

WELSH-ENGLISH



WE7004E



WE502




WE503



WE513_1



WE518



Ffordd gul
Single track
road

WE519



Gêr isel
nawr
Low gear
now

WE525



Cadwch mewn
gêr isel
Keep in
low gear

WE526




Ysgol
School

WE546




Hebryngwr
Patrol

WE547_1



Lle chwareae
Playground

WE547_2



Dim troeffordd
am 400 llath
No footway
for 400 yards

WE547_3



Pobl
anabl
Disabled
people

WE547_4



Plant
anabl
Disabled
children

WE547_7A




Plant
dall
Blind
children

WE547_7B



Plant
byddar
Deaf
children

WE547_7C



Croesian
ar dwmpath
Humped
crossing

WE547_8



Pan fo'r
golau'n
fflachio
200 llath
When
lights show
200 yards

WE548_1




Traffig fferm
Farm traffic

WE553_2A



Cerbydau llydan
Wide vehicles

WE553_2B



Tractors turning
Tractorau'n troi

WE553_2C

Damwain
Accident

WE563A

Gorsaf
Ambiwlans
Ambulance
station

WE563B

Ffrwydro
Blasting

WE563C

Cyfrifiad
Census

WE563E

Cwmwl
llwch
Dust
cloud

WE563F

Coeden
ar lawr
Fallen
tree

WE563G

Gorsaf
dân
Fire
station

WE563H

Difrod
rhew
Frost
damage

WE563J

Trwsio ceblau
uwchben
Overhead
line repairs

WE563L

Perygl
llifogydd
Road
liable to
flooding

WE563M

Mwg
Smoke

WE563Q

Am
800 llath
For
800 yds

WE570A

Am
1 filltir
For
1 mile

WE570B

Am
2 filltir
For
2 miles

WE570C

400 llath
400 yds

WE572A

1 filltir
1 mile

WE572B

2 filltir
2 miles

WE572C

Ciwiau'n
debygol
Queues
likely

WE584_1

Unffordd
One way

WE607

Ffordd
ddeuol
Dual
carriageway

WE608

**Diwedd
End**

WE645

Ffordd
ddeuol
o'ch blaen
Dual
carriageway
ahead

WE818

**Yn unig
Only**

WE953_2

Ac eithrio
bysiay
Except
buses

WE954

Ac eithrio
beiclau
Except
cycles

WE954_4

**Gwyriad
Diversion**


WE2702A

**Gwyriad
Diversion**


WE2702AL

**Gwyriad
Diversion**


WE2702AR

**DIWEDD
Gwyriad
Diversion
ENDS**

WE2702E

**Gwyriad
Diversion**


WE2702L

**Gwyriad
Diversion**


WE2702R

**Gwyriad
400 llath
Diversion
400 yds**

WE2702V

**Traffig y
gwyriad
Diverted
traffic**


WE2703A

**Traffig y
gwyriad
Diverted
traffic**


WE2703AL

**Traffig y
gwyriad
Diverted
traffic**


WE2703AR

**Traffig y
gwyriad
Diverted
traffic**


WE2703L

**Traffig y
gwyriad
Diverted
traffic**


WE2703R

**Traffig y
gwyriad
Diverted
traffic**


WE2703U

**Traffig y
gwyriad
Diverted
traffic**


WE2704L

**Traffig y
gwyriad
Diverted
traffic**


WE2704R

**Diwedd
rheoliadau'r
draffordd
End
of motorway
regulations**

WE2932

**Peintio
llinellau
Line
painting**

WE7001_1A

**Torri
gwair
Grass
cutting**

WE7001_1B

**Torri
perthi
Tree
cutting**

WE7001_1C

Gwaith
ffosydd
Ditching

WE7001_1D

Chwistrellu
chwyn
Weed
spraying

WE7001_1E

Codi
arwyddion
Sign
erection

WE7001_1F

Cynnal
goleuadau
Lighting
maintenance

WE7001_1G

Gwaith
uwchben
Overhead
works

WE7001_1H

Ar y ffordd
ymuno
On slip road

WE7001_1I

Ar y ffordd
ymadael
On slip road

WE7001_1J

Mesur tir
Surveying

WE7001_1K

Gwaith ffordd
symudol
Mobile
road works

WE7001_1L

Ysgubo'r
ffordd
Road
sweeping

WE7001_1M

Gwacáu
cwtteri
Gully
emptying

WE7001_1N

Graeanu
Gritting

WE7001_1O

Taenu
halen
Salting

WE7001_1P

Swch eira
Snow
ploughing

WE7001_1Q

Ffrwydro
Blasting

WE7001_1R

Ar y llain
galed
On hard
shoulder

WE7001_1S

Ar y groesfan
rheilffordd
At level
crossing

WE7001_1T

Cynnal
arwyddion
Sign
maintenance

WE7001_1U

Ar yr M4
On M4


WE7001_2A

M4
Tua'r gorllewin
M4
Westbound


WE7001_2B



WE7001_3




WE7002A1




WE7002A2




WE7002A3



WE7002A4



WE7002A5



WE7002A6



WE7002B



WE7002_1A




WE7002_1B



WE7003_1




WE70043X



WE7004A



WE7004B



WE7004C



WE7004D



WE7004E



WE7004F



WE7004G



WE7004H

CONE 10 UK - SIGNS & SYMBOLS – SIGNS – WELSH-ENGLISH



WE7004I



WE7004J



WE7004K




WE7004L



WE7004M



WE7004N



WE7004O



WE7004P



WE7005A



WE7005B



WE7005C



WE7005D



WE7005E



WE7005F



WE7005G



WE7005H



WE7005I



WE7005J



WE7005K



WE7005L



WE7005M



WE7006



0845
602 602 0

WE7006_1



WE7010A



WE7010B



WE7010C



WE7010D



WE7010E



WE7010F



WE7010G



WE7010H



WE7010I



WE7010J



WE7011_1A



WE7011_1B



WE7012A




WE7012B



WE7012C



WE7012D



WE7012E

DIM MARCIAU
FFORDD WRTH
Y GROESFAN
LEFEL

NO ROAD
MARKINGS
AT LEVEL
CROSSING

WE7012F

CYLCHFAN
NEWYDD
O'CH BLAEN

NEW
ROUNDABOUT
AHEAD

WE7014A

BLAENORIAETHAU
WEDI'U NEWID
O'CH BLAEN

CHANGED
PRIORITIES
AHEAD

WE7014B

BWLCH
AR GAU
O'CH BLAEN

GAP CLOSED
AHEAD

WE7014C

TREFN
UNFFORDD
NEWYDD
O'CH BLAEN

NEW
ONE-WAY
SYSTEM
AHEAD

WE7014D

TREFN FFYRDD
NEWYDD
O'CH BLAEN

NEW
ROAD LAYOUT
AHEAD

WE7014E

ARWYDDION
TRAFFIG
NEWYDD
O'CH BLAEN

NEW
TRAFFIC
SIGNALS
AHEAD

WE7014F

BLAENORIAETHAU
ARWYDDION
WEDI'U NEWID
O'CH BLAEN

SIGNAL
PRIORITIES
CHANGED
AHEAD

WE7014G

AMSERIADAU
ARWYDDION
WEDI'U NEWID
O'CH BLAEN

SIGNAL
TIMINGS
CHANGED
AHEAD

WE7014H

YNYSOEDD
TRAFFIG
NEWYDD
O'CH BLAEN

NEW
TRAFFIC
ISLANDS
AHEAD

WE7014I

DIM LLAIN
GALED AM
400 LLATH

NO
SHOULDER
FOR
400 YARDS

WE7015A

GOSOD
GWAITH FFORDD
O'CH BLAEN

SETTING OUT
ROAD WORKS
AHEAD

WE7015B

CROESFAN
SEGUR
CROSSING
NOT IN USE

WE7016

CERDDWYR
EDRYCHWCH
I'R DDAU
GYFEIRIAD
PEDESTRIANS
LOOK
BOTH WAYS

WE7017B

CERDDWYR
EDRYCHWCH
I'R CHWITH
PEDESTRIANS
LOOK LEFT

WE7017L

CERDDWYR
EDRYCHWCH
I'R DDE
PEDESTRIANS
LOOK RIGHT

WE7017R

CERDDWYR
DEFNYDDIWCH
Y DROEDFFORDD
ARALL

PEDESTRIANS
USE OTHER
FOOTWAY

WE7018

CERDDWYR
PEDESTRIANS



WE7018L

CERDDWYR
PEDESTRIANS



WE7018R

BEICWYR
DEWCH ODDI
AR EICH BEIC
A DEFNYDDIO'R
DROETFFORDD

CYCLISTS
DISMOUNT
AND USE
FOOTWAY

WE7018_1

ARWYDD
SEGUR
SIGN
NOT IN USE

WE7020A

GOLAU
SEGUR
SIGNAL
NOT IN USE

WE7020B

ARWYDD
YN CAEL
EI BROFI
SIGN
UNDER
TEST

WE7020C

GOLAU
YN CAEL
EI BROFI
SIGNAL
UNDER
TEST

WE7020D

TRAFFIG DAN
REOLAETH
GOLEUADAU

TRAFFIC UNDER
SIGNAL CONTROL

WE7021

TRAFFIG YN YMUNO
NAD YW DAN
REOLAETH
GOLEUADAU

JOINING TRAFFIC
NOT SIGNAL
CONTROLLED

WE7022



WE7024

SYSTEM GONFOI
AR WAITH
O'CH BLAEN
CONVOY SYSTEM
IN OPERATION
AHEAD

WE7025

SYSTEM GONFOI
I DDIOGELU'R
GWEITHLU
CONVOY SYSTEM
TO PROTECT
WORKFORCE

WE7026

TRA BO'R
GOLAU'N GOCH
ARHOSWCH YMA
AM Y CERBYD
CONFOI

WHEN RED
LIGHT SHOWS
WAIT HERE
FOR CONVOY
VEHICLE

WE7027A

TRA BO'R
ARWYDD STOP
ARHOSWCH YMA
AM Y CERBYD
CONFOI

WHEN STOP
SIGN SHOWS
WAIT HERE
FOR CONVOY
VEHICLE

WE7027B

PAN FO'R
GOLAU'N WYRDD
DILYNWCH
Y CERBYD CONFOI

WHEN GREEN
LIGHT SHOWS
FOLLOW
CONVOY VEHICLE


WE7028A



WE7028B



WE7029




WE7030



WE7031



WE7032




WE7260




WE7261



WE7262



WE7263



WE7264




WE7270




WE7271



WE7272




WE7273



WE7274



WE7275A



WE7275B

Unrhyw
gerbyd
Any veh



WE7281



WE7290



WE7290_FRACTION




WE7291A




WE7291B



WE7292A



WE7292B




WE7292C



WE7293




WE7294A




WE7294B



WE7301A



WE7301B



WE7301C



WE7302



WE7304A



WE7304AL



WE7304AR



WE7304L



WE7305L



WE7305R



WE7306L



WE7306R



WE7307



WEERW30



WEERW40



WWEW50



WEERW60




WEERWDE




WEMIT-red



WEMIT-yellow



WEWQUBL-red



WEWQUBL-yellow

Introduction To Schematic Segmented Layouts


The Schematic Segmented Layout library contains over 3000 individual layouts that can be “snapped” together to form complete site specific 2 lane, dual carriageway or motorway schemes.

The libraries are sub-divided into 2 Lane and Dual Carriageway categories

To access the libraries use the **Cone10UK** pull down menu and select either the **Schematic Diagrams > Single Carriageway Wizard** or the **Schematic Diagrams > Dual Carriageway Wizard** or use the menu structure to browse the libraries

Single Carriageway Wizard:

CONE10UK Pull Down Menu > Schematic Diagrams > Single Carriageway Wizard or enter **C2LANEWIZARD** at the command line prompt




The 2 Lane library is sub-divided into
3 Way Junctions,
4 Way Junctions,
3 Way roundabouts,
4 Way roundabouts,
Straights

30, 40, 50 & 60MPH Approaches
These approaches are further sub-divided into
Priority, Stop-Go, Stop-Go Convoy, Stop-Go
Plant Crossing, Traffic Signal, Traffic Signals
Plant Crossing, Two Way and Miscellaneous
Systems.

CONE 10 UK – SIGNS, SYMBOLS & LAYOUTS

Dual Carriageway Wizard:

CONE10UK Pull Down Menu > Schematic Diagrams > Dual Carriageway Wizard or enter **CDUALWIZARD** at the command line prompt



The Dual Carriageway library is sub-divided into sub-folders:

Dual Hardshoulder 50mph
Dual Hardshoulder 60mph
Dual Hardshoulder 70mph
Dual No Hardshoulder 40mph
Dual No Hardshoulder 50mph
Dual No Hardshoulder 60mph
Dual No Hardshoulder 70mph

Each of the above are further sub-divided into folders:

Standard
Relaxation
Narrow Standard (where applicable)

Finally each of the above are further sub-divided into folders:

Approaches
Changeovers
Crossovers
End Signing
Slip Roads
Straight Coning
Tapers
Works Access

Introduction To TSAM's (Traffic Safety And Management – Standard Detail Drawings)

The TSAM library contains 400 individual standard detail drawings of ready-to-go pre-defined schemes, each drawing contains various variations of a theme adding up to over 1000 layouts covering every aspect from pedestrian footways to 70mph Dual Carriageways , Mobile works, Miscellaneous details and Welsh/English TSAM's

To access the standard detail TSAM's use the **Cone10UK** pull down menu and select **Schematic Diagrams > TSAM Wizard** or use the menu structure to browse the libraries

TSAM Wizard:

CONE10UK Pull Down Menu > Schematic Diagrams > TSAM Wizard or enter **CTSAMWIZARD** at the command line prompt

A print ready electronic version of each of the 400 standard details is available in PDF format in the help folder of the CONE10UK installation directory. A hard copy version is also available to purchase as an optional extra – see www.conesoftware.com

The TSAM Standard Details library is sub-divided into sub-folders:

001-200 Key Footways Single Carriageway
201-300 Dual Carriageway NO Hardshoulder 40mph or less
301-400 Dual Carriageway NO Hardshoulder 50mph
401-500 Dual Carriageway NO Hardshoulder 60mph
501-600 Dual Carriageway NO Hardshoulder 70mph
601-700 Dual Carriageway WITH Hardshoulder 50mph
701-800 Dual Carriageway WITH Hardshoulder 60mph
801-900 Dual Carriageway WITH Hardshoulder 70mph
901-1000 Mobile Works
1001-1100 Miscellaneous_details
Welsh English TSAMS

001-200 Key Footways Single Carriageway

Key Drawing Sht 1 of 2 - TSAMSD001
Key Drawing Sht 2 of 2 - TSAMSD002
Traffic Management Arrangements For Pedestrians - TSAMSD003
Single 2 Lane STOP WORKS Sign Traffic Control - TSAMSD004
Single 2 Lane Reduced Width Lane Closures Sht 1 of 3 - TSAMSD005
Single 2 Lane Reduced Width Lane Closures Sht 2 of 3 - TSAMSD006
Single 2 Lane Reduced Width Lane Closures Sht 3 of 3 - TSAMSD007
Single 2 Lane Give and Take Traffic Control - TSAMSD008
Single 2 Lane Priority Traffic Control Sht 1 of 2 - TSAMSD009
Single 2 Lane Priority Traffic Control Sht 2 of 2 - TSAMSD010
Single 2 Lane STOP GO Traffic Control Sht 1 of 4 - TSAMSD011
Single 2 Lane STOP GO Traffic Control Sht 2 of 4 - TSAMSD012
Single 2 Lane STOP GO Traffic Control Sht 3 of 4 - TSAMSD013
Single 2 Lane STOP GO Traffic Control Sht 4 of 4 - TSAMSD014
Single 2 Lane (Convoy Working) STOP GO Traffic Control Sht 1 of 3 - TSAMSD015
Single 2 Lane (Convoy Working) STOP GO Traffic Control Sht 2 of 3 - TSAMSD016
Single 2 Lane (Convoy Working) STOP GO Traffic Control Sht 3 of 3 - TSAMSD017
Single 2 Lane (Multi-Phase) STOP GO Traffic Control Sht 1 of 4 - TSAMSD018
Single 2 Lane (Multi-Phase) STOP GO Traffic Control Sht 2 of 4 - TSAMSD019
Single 2 Lane (Multi-Phase) STOP GO Traffic Control Sht 3 of 4 - TSAMSD020
Single 2 Lane (Multi-Phase) STOP GO Traffic Control Sht 4 of 4 - TSAMSD021
Single 2 Lane Portable Traffic Signal Control Sht 1 of 4 - TSAMSD022
Single 2 Lane Portable Traffic Signal Control Sht 2 of 4 - TSAMSD023
Single 2 Lane Portable Traffic Signal Control Sht 3 of 4 - TSAMSD024
Single 2 Lane Portable Traffic Signal Control Sht 4 of 4 - TSAMSD025
Single 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 1 of 3 - TSAMSD026
Single 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 2 of 3 - TSAMSD027
Single 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 3 of 3 - TSAMSD028
Single 2 Lane (Multi-Phase) Portable Traffic Signal Control Sht 1 of 4 - TSAMSD029
Single 2 Lane (Multi-Phase) Portable Traffic Signal Control Sht 2 of 4 - TSAMSD030
Single 2 Lane (Multi-Phase) Portable Traffic Signal Control Sht 3 of 4 - TSAMSD031
Single 2 Lane (Multi-Phase) Portable Traffic Signal Control Sht 4 of 4 - TSAMSD032
Single 3 Lane Closures Type S3.1 Sht 1 of 5 - TSAMSD033
Single 3 Lane Closures Type S3.1 Sht 2 of 5 - TSAMSD034
Single 3 Lane Closures Type S3.1 Sht 3 of 5 - TSAMSD035
Single 3 Lane Closures Type S3.1 Sht 4 of 5 - TSAMSD036
Single 3 Lane Closures Type S3.1 Sht 5 of 5 - TSAMSD037
Single 3 Lane Closures Type S3.2 Sht 1 of 5 - TSAMSD038
Single 3 Lane Closures Type S3.2 Sht 2 of 5 - TSAMSD039
Single 3 Lane Closures Type S3.2 Sht 3 of 5 - TSAMSD040
Single 3 Lane Closures Type S3.2 Sht 4 of 5 - TSAMSD041
Single 3 Lane Closures Type S3.2 Sht 5 of 5 - TSAMSD042

CONE 10 UK – SIGNS, SYMBOLS & LAYOUTS

Single 3 Lane Closures Type S3.3 Sht 1 of 5 - TSAMSD043
Single 3 Lane Closures Type S3.3 Sht 2 of 5 - TSAMSD044
Single 3 Lane Closures Type S3.3 Sht 3 of 5 - TSAMSD045
Single 3 Lane Closures Type S3.3 Sht 4 of 5 - TSAMSD046
Single 3 Lane Closures Type S3.3 Sht 5 of 5 - TSAMSD047
Single 3 Lane Closures Type S3.4 Sht 1 of 2 - TSAMSD048
Single 3 Lane Closures Type S3.4 Sht 2 of 2 - TSAMSD049
Single 3 Lane Closures (Convoy Working) Type S3.5 Sht 1 of 5 - TSAMSD050
Single 3 Lane Closures (Convoy Working) Type S3.5 Sht 2 of 5 - TSAMSD051
Single 3 Lane Closures (Convoy Working) Type S3.5 Sht 3 of 5 - TSAMSD052
Single 3 Lane Closures (Convoy Working) Type S3.5 Sht 4 of 5 - TSAMSD053
Single 3 Lane Closures (Convoy Working) Type S3.5 Sht 5 of 5 - TSAMSD054
Single 3 Lane Closures (Convoy Working) Type S3.6 Sht 1 of 5 - TSAMSD055
Single 3 Lane Closures (Convoy Working) Type S3.6 Sht 2 of 5 - TSAMSD056
Single 3 Lane Closures (Convoy Working) Type S3.6 Sht 3 of 5 - TSAMSD057
Single 3 Lane Closures (Convoy Working) Type S3.6 Sht 4 of 5 - TSAMSD058
Single 3 Lane Closures (Convoy Working) Type S3.6 Sht 5 of 5 - TSAMSD059
Single 4 Lane Closures Type S4.1 Sht 1 of 5 - TSAMSD060
Single 4 Lane Closures Type S4.1 Sht 2 of 5 - TSAMSD061
Single 4 Lane Closures Type S4.1 Sht 3 of 5 - TSAMSD062
Single 4 Lane Closures Type S4.1 Sht 4 of 5 - TSAMSD063
Single 4 Lane Closures Type S4.1 Sht 5 of 5 - TSAMSD064
Single 4 Lane Closures Type S4.2 Sht 1 of 5 - TSAMSD065
Single 4 Lane Closures Type S4.2 Sht 2 of 5 - TSAMSD066
Single 4 Lane Closures Type S4.2 Sht 3 of 5 - TSAMSD067
Single 4 Lane Closures Type S4.2 Sht 4 of 5 - TSAMSD068
Single 4 Lane Closures Type S4.2 Sht 5 of 5 - TSAMSD069
Single 4 Lane Closures Type S4.3 Sht 1 of 5 - TSAMSD070
Single 4 Lane Closures Type S4.3 Sht 2 of 5 - TSAMSD071
Single 4 Lane Closures Type S4.3 Sht 3 of 5 - TSAMSD072
Single 4 Lane Closures Type S4.3 Sht 4 of 5 - TSAMSD073
Single 4 Lane Closures Type S4.3 Sht 5 of 5 - TSAMSD074
Single 4 Lane Closures Type S4.4 Sht 1 of 2 - TSAMSD075
Single 4 Lane Closures Type S4.4 Sht 2 of 2 - TSAMSD076
Single 4 Lane Closures Type S4.5 Sht 1 of 2 - TSAMSD077
Single 4 Lane Closures Type S4.5 Sht 2 of 2 - TSAMSD078
Single 4 Lane Closures (Convoy Working) Type S4.6 Sht 1 of 5 - TSAMSD079
Single 4 Lane Closures (Convoy Working) Type S4.6 Sht 2 of 5 - TSAMSD080
Single 4 Lane Closures (Convoy Working) Type S4.6 Sht 3 of 5 - TSAMSD081
Single 4 Lane Closures (Convoy Working) Type S4.6 Sht 4 of 5 - TSAMSD082
Single 4 Lane Closures (Convoy Working) Type S4.6 Sht 5 of 5 - TSAMSD083
Single 4 Lane Closures (Convoy Working) Type S4.7 Sht 1 of 5 - TSAMSD084
Single 4 Lane Closures (Convoy Working) Type S4.7 Sht 2 of 5 - TSAMSD085
Single 4 Lane Closures (Convoy Working) Type S4.7 Sht 3 of 5 - TSAMSD086
Single 4 Lane Closures (Convoy Working) Type S4.7 Sht 4 of 5 - TSAMSD087
Single 4 Lane Closures (Convoy Working) Type S4.7 Sht 5 of 5 - TSAMSD088

201-300 Dual Carriageway NO Hardshoulder 40mph or less

Dual 2 and 3 Lane Closures Sht 1 of 5 - TSAMSD201
Dual 2 and 3 Lane Closures Sht 2 of 5 - TSAMSD202
Dual 2 and 3 Lane Closures Sht 3 of 5 - TSAMSD203
Dual 2 and 3 Lane Closures Sht 4 of 5 - TSAMSD204
Dual 2 and 3 Lane Closures Sht 5 of 5 - TSAMSD205
Dual 4 Lane Closures Sht 1 of 5 - TSAMSD206
Dual 4 Lane Closures Sht 2 of 5 - TSAMSD207
Dual 4 Lane Closures Sht 3 of 5 - TSAMSD208
Dual 4 Lane Closures Sht 4 of 5 - TSAMSD209
Dual 4 Lane Closures Sht 5 of 5 - TSAMSD210
Dual 2 Lane (Convoy Working) STOP/GO Traffic Control Sht 1 of 3 - TSAMSD211
Dual 2 Lane (Convoy Working) STOP/GO Traffic Control Sht 2 of 3 - TSAMSD212
Dual 2 Lane (Convoy Working) STOP/GO Traffic Control Sht 3 of 3 - TSAMSD213
Dual 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 1 of 3 - TSAMSD214
Dual 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 2 of 3 - TSAMSD215
Dual 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 3 of 3 - TSAMSD216
Dual 2 Lane Contraflow Type CF-40-2.1 - TSAMSD217
Dual 3 Lane Contraflow Type CF-40-3.1 - TSAMSD218
Dual 3 Lane Contraflow Type CF-40-3.2 - TSAMSD219
Dual 3 Lane Contraflow Type CF-40-3.3 - TSAMSD220
Dual 3 Lane Contraflow Type CF-40-3.4 - TSAMSD221
Dual Carriageway Road Closures Sht 1 of 3 - TSAMSD222
Dual Carriageway Road Closures Sht 2 of 3 - TSAMSD223
Dual Carriageway Road Closures Sht 3 of 3 - TSAMSD224
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 1 of 3 - TSAMSD225
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 2 of 3 - TSAMSD226
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 3 of 3 - TSAMSD227
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 1 of 3 - TSAMSD228
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 2 of 3 - TSAMSD229
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 3 of 3 - TSAMSD230
Dual Carriageway Primary Carriageway Traffic Lane Through The Works - TSAMSD231

301-400 Dual Carriageway NO Hardshoulder 50mph

Dual 2 and 3 Lane Closures Sht 1 of 5 - TSAMSD301
Dual 2 and 3 Lane Closures Sht 2 of 5 - TSAMSD302
Dual 2 and 3 Lane Closures Sht 3 of 5 - TSAMSD303
Dual 2 and 3 Lane Closures Sht 4 of 5 - TSAMSD304
Dual 2 and 3 Lane Closures Sht 5 of 5 - TSAMSD305
Dual 4 Lane Closures Sht 1 of 5 - TSAMSD306
Dual 4 Lane Closures Sht 2 of 5 - TSAMSD307
Dual 4 Lane Closures Sht 3 of 5 - TSAMSD308
Dual 4 Lane Closures Sht 4 of 5 - TSAMSD309
Dual 4 Lane Closures Sht 5 of 5 - TSAMSD310
Dual 2 Lane (Convoy Working) STOP/GO Traffic Control Sht 1 of 3 - TSAMSD311
Dual 2 Lane (Convoy Working) STOP/GO Traffic Control Sht 2 of 3 - TSAMSD312
Dual 2 Lane (Convoy Working) STOP/GO Traffic Control Sht 3 of 3 - TSAMSD313
Dual 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 1 of 3 - TSAMSD314
Dual 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 2 of 3 - TSAMSD315
Dual 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 3 of 3 - TSAMSD316
Dual 2 Lane Contraflow Type CF-50-2.1 - TSAMSD317
Dual 3 Lane Contraflow Type CF-50-3.1 - TSAMSD318
Dual 3 Lane Contraflow Type CF-50-3.2 - TSAMSD319
Dual 3 Lane Contraflow Type CF-50-3.3 - TSAMSD320
Dual 3 Lane Contraflow Type CF-50-3.4 - TSAMSD321
Dual Carriageway Road Closures Sht 1 of 3 - TSAMSD322
Dual Carriageway Road Closures Sht 2 of 3 - TSAMSD323
Dual Carriageway Road Closures Sht 3 of 3 - TSAMSD324
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 1 of 3 - TSAMSD325
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 2 of 3 - TSAMSD326
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 2 of 3 - TSAMSD327
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 1 of 3 - TSAMSD328
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 2 of 3 - TSAMSD329
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 3 of 3 - TSAMSD330
Dual Carriageway Primary Carriageway Traffic Lane Through The Works - TSAMSD331
Dual Carriageway Off-peak Contraflow Type CF-50-2.2 Sht 1 of 2 - TSAMSD332
Dual Carriageway Off-peak Contraflow Type CF-50-2.2 Sht 2 of 2 - TSAMSD333

401-500 Dual Carriageway NO Hardshoulder 60mph

Dual 2 and 3 Lane Closures Sht 1 of 5 - TSAMSD401
Dual 2 and 3 Lane Closures Sht 2 of 5 - TSAMSD402
Dual 2 and 3 Lane Closures Sht 3 of 5 - TSAMSD403
Dual 2 and 3 Lane Closures Sht 4 of 5 - TSAMSD404
Dual 2 and 3 Lane Closures Sht 5 of 5 - TSAMSD405
Dual 4 Lane Closures Sht 1 of 5 - TSAMSD406
Dual 4 Lane Closures Sht 2 of 5 - TSAMSD407
Dual 4 Lane Closures Sht 3 of 5 - TSAMSD408
Dual 4 Lane Closures Sht 4 of 5 - TSAMSD409
Dual 4 Lane Closures Sht 5 of 5 - TSAMSD410
Dual 2 Lane (Convoy Working) STOP/GO Traffic Control Sht 1 of 3 - TSAMSD411
Dual 2 Lane (Convoy Working) STOP/GO Traffic Control Sht 2 of 3 - TSAMSD412
Dual 2 Lane (Convoy Working) STOP/GO Traffic Control Sht 3 of 3 - TSAMSD413
Dual 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 1 of 3 - TSAMSD414
Dual 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 2 of 3 - TSAMSD415
Dual 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 3 of 3 - TSAMSD416
Dual 2 Lane Contraflow Type CF-60-2.1 - TSAMSD417
Dual 3 Lane Contraflow Type CF-60-3.1 - TSAMSD418
Dual 3 Lane Contraflow Type CF-60-3.2 - TSAMSD419
Dual 3 Lane Contraflow Type CF-60-3.3 - TSAMSD420
Dual 3 Lane Contraflow Type CF-60-3.4 - TSAMSD421
Dual Carriageway Road Closures Sht 1 of 3 - TSAMSD422
Dual Carriageway Road Closures Sht 2 of 3 - TSAMSD423
Dual Carriageway Road Closures Sht 3 of 3 - TSAMSD424
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 1 of 3 - TSAMSD425
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 2 of 3 - TSAMSD426
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 2 of 3 - TSAMSD427
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 1 of 3 - TSAMSD428
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 2 of 3 - TSAMSD429
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 2 of 3 - TSAMSD430
Dual Carriageway Primary Carriageway Traffic Lane Through The Works - TSAMSD431
Dual Carriageway Off-peak Contraflow Type CF-60-2.2 Sht 1 of 2 - TSAMSD432
Dual Carriageway Off-peak Contraflow Type CF-60-2.2 Sht 2 of 2 - TSAMSD433

501-600 Dual Carriageway NO Hardshoulder 70mph

Dual 2 and 3 Lane Closures Sht 1 of 5 - TSAMSD501
Dual 2 and 3 Lane Closures Sht 2 of 5 - TSAMSD502
Dual 2 and 3 Lane Closures Sht 3 of 5 - TSAMSD503
Dual 2 and 3 Lane Closures Sht 4 of 5 - TSAMSD504
Dual 2 and 3 Lane Closures Sht 5 of 5 - TSAMSD505
Dual 4 Lane Closures Sht 1 of 5 - TSAMSD506
Dual 4 Lane Closures Sht 2 of 5 - TSAMSD507
Dual 4 Lane Closures Sht 3 of 5 - TSAMSD508
Dual 4 Lane Closures Sht 4 of 5 - TSAMSD509
Dual 4 Lane Closures Sht 5 of 5 - TSAMSD510
Dual 2 Lane (Convoy Working) STOP/GO Traffic Control Sht 1 of 3 - TSAMSD511
Dual 2 Lane (Convoy Working) STOP/GO Traffic Control Sht 2 of 3 - TSAMSD512
Dual 2 Lane (Convoy Working) STOP/GO Traffic Control Sht 3 of 3 - TSAMSD513
Dual 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 1 of 3 - TSAMSD514
Dual 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 2 of 3 - TSAMSD515
Dual 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 3 of 3 - TSAMSD516
Dual 2 Lane Contraflow Type CF-60-2.1 - TSAMSD517
Dual 3 Lane Contraflow Type CF-70-3.1 - TSAMSD518
Dual 3 Lane Contraflow Type CF-70-3.2 - TSAMSD519
Dual 3 Lane Contraflow Type CF-70-3.3 - TSAMSD520
Dual 3 Lane Contraflow Type CF-70-3.4 - TSAMSD521
Dual Carriageway Road Closures Sht 1 of 3 - TSAMSD522
Dual Carriageway Road Closures Sht 2 of 3 - TSAMSD523
Dual Carriageway Road Closures Sht 3 of 3 - TSAMSD524
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 1 of 3 - TSAMSD525
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 2 of 3 - TSAMSD526
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 2 of 3 - TSAMSD527
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 1 of 3 - TSAMSD528
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 2 of 3 - TSAMSD529
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 3 of 3 - TSAMSD530
Dual Carriageway Primary Carriageway Traffic Lane Through The Works - TSAMSD531
Dual Carriageway Off-peak Contraflow Type CF-70-2.2 Sht 1 of 2 - TSAMSD532
Dual Carriageway Off-peak Contraflow Type CF-70-2.2 Sht 2 of 2 - TSAMSD533

601-700 Dual Carriageway WITH Hardshoulder 50mph

Dual 2 Lane Closures Sht 1 of 5 - TSAMSD601
Dual 2 Lane Closures Sht 2 of 6 - TSAMSD602
Dual 2 Lane Closures Sht 3 of 6 - TSAMSD603
Dual 2 Lane Closures Sht 4 of 6 - TSAMSD604
Dual 2 Lane Closures Sht 5 of 6 - TSAMSD605
Dual 2 Lane Closures Sht 6 of 6 - TSAMSD606
Dual 3 Lane Closures Sht 1 of 12 - TSAMSD607
Dual 3 Lane Closures Sht 2 of 12 - TSAMSD608
Dual 3 Lane Closures Sht 3 of 12 - TSAMSD609
Dual 3 Lane Closures Sht 4 of 12 - TSAMSD610
Dual 3 Lane Closures Sht 5 of 12 - TSAMSD611
Dual 3 Lane Closures Sht 6 of 12 - TSAMSD612
Dual 3 Lane Closures Sht 7 of 12 - TSAMSD613
Dual 3 Lane Closures Sht 8 of 12 - TSAMSD614
Dual 3 Lane Closures Sht 9 of 12 - TSAMSD615
Dual 3 Lane Closures Sht 10 of 12 - TSAMSD616
Dual 3 Lane Closures Sht 11 of 12 - TSAMSD617
Dual 3 Lane Closures Sht 11 of 12 - TSAMSD618
Dual 4 Lane Closures Sht 1 of 10 - TSAMSD619
Dual 4 Lane Closures Sht 2 of 10 - TSAMSD620
Dual 4 Lane Closures Sht 3 of 10 - TSAMSD621
Dual 4 Lane Closures Sht 4 of 10 - TSAMSD622
Dual 4 Lane Closures Sht 5 of 10 - TSAMSD623
Dual 4 Lane Closures Sht 6 of 10 - TSAMSD624
Dual 4 Lane Closures Sht 7 of 10 - TSAMSD625
Dual 4 Lane Closures Sht 8 of 10 - TSAMSD626
Dual 4 Lane Closures Sht 9 of 10 - TSAMSD627
Dual 4 Lane Closures Sht 10 of 10 - TSAMSD628
Dual Carriageway Road Closures Sht 1 of 3 - TSAMSD629
Dual Carriageway Road Closures Sht 2 of 3 - TSAMSD630
Dual Carriageway Road Closures Sht 3 of 3 - TSAMSD631
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 1 of 5 - TSAMSD632
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 2 of 5 - TSAMSD633
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 3 of 5 - TSAMSD634
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 4 of 5 - TSAMSD635
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 5 of 5 - TSAMSD636
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 1 of 4 - TSAMSD637
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 2 of 4 - TSAMSD638
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 3 of 4 - TSAMSD639
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 4 of 4 - TSAMSD640
Dual Carriageway Primary Carriageway Traffic Lane Through The Works - TSAMSD642

701-800 Dual Carriageway WITH Hardshoulder 60mph

Dual 2 Lane Closures Sht 1 of 5 - TSAMSD701
Dual 2 Lane Closures Sht 2 of 6 - TSAMSD702
Dual 2 Lane Closures Sht 3 of 6 - TSAMSD703
Dual 2 Lane Closures Sht 4 of 6 - TSAMSD704
Dual 2 Lane Closures Sht 5 of 6 - TSAMSD705
Dual 2 Lane Closures Sht 6 of 6 - TSAMSD706
Dual 3 Lane Closures Sht 1 of 12 - TSAMSD707
Dual 3 Lane Closures Sht 2 of 12 - TSAMSD708
Dual 3 Lane Closures Sht 3 of 12 - TSAMSD709
Dual 3 Lane Closures Sht 4 of 12 - TSAMSD710
Dual 3 Lane Closures Sht 5 of 12 - TSAMSD711
Dual 3 Lane Closures Sht 6 of 12 - TSAMSD712
Dual 3 Lane Closures Sht 7 of 12 - TSAMSD713
Dual 3 Lane Closures Sht 8 of 12 - TSAMSD714
Dual 3 Lane Closures Sht 9 of 12 - TSAMSD715
Dual 3 Lane Closures Sht 10 of 12 - TSAMSD716
Dual 3 Lane Closures Sht 11 of 12 - TSAMSD717
Dual 3 Lane Closures Sht 11 of 12 - TSAMSD718
Dual 4 Lane Closures Sht 1 of 10 - TSAMSD719
Dual 4 Lane Closures Sht 2 of 10 - TSAMSD720
Dual 4 Lane Closures Sht 3 of 10 - TSAMSD721
Dual 4 Lane Closures Sht 4 of 10 - TSAMSD722
Dual 4 Lane Closures Sht 5 of 10 - TSAMSD723
Dual 4 Lane Closures Sht 6 of 10 - TSAMSD724
Dual 4 Lane Closures Sht 7 of 10 - TSAMSD725
Dual 4 Lane Closures Sht 8 of 10 - TSAMSD726
Dual 4 Lane Closures Sht 9 of 10 - TSAMSD727
Dual 4 Lane Closures Sht 10 of 10 - TSAMSD728
Dual Carriageway Road Closures Sht 1 of 3 - TSAMSD729
Dual Carriageway Road Closures Sht 2 of 3 - TSAMSD730
Dual Carriageway Road Closures Sht 3 of 3 - TSAMSD731
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 1 of 5 - TSAMSD732
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 2 of 5 - TSAMSD733
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 3 of 5 - TSAMSD734
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 4 of 5 - TSAMSD735
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 5 of 5 - TSAMSD736
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 1 of 4 - TSAMSD737
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 2 of 4 - TSAMSD738
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 3 of 4 - TSAMSD739
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 4 of 4 - TSAMSD740
Dual Carriageway Primary Carriageway Traffic Lane Through The Works - TSAMSD742

801-900 Dual Carriageway WITH Hardshoulder 70mph

Dual 2 Lane Closures Sht 1 of 5 - TSAMSD801
Dual 2 Lane Closures Sht 2 of 6 - TSAMSD802
Dual 2 Lane Closures Sht 3 of 6 - TSAMSD803
Dual 2 Lane Closures Sht 4 of 6 - TSAMSD804
Dual 2 Lane Closures Sht 5 of 6 - TSAMSD805
Dual 2 Lane Closures Sht 6 of 6 - TSAMSD806
Dual 3 Lane Closures Sht 1 of 12 - TSAMSD807
Dual 3 Lane Closures Sht 2 of 12 - TSAMSD808
Dual 3 Lane Closures Sht 3 of 12 - TSAMSD809
Dual 3 Lane Closures Sht 4 of 12 - TSAMSD810
Dual 3 Lane Closures Sht 5 of 12 - TSAMSD811
Dual 3 Lane Closures Sht 6 of 12 - TSAMSD812
Dual 3 Lane Closures Sht 7 of 12 - TSAMSD813
Dual 3 Lane Closures Sht 8 of 12 - TSAMSD814
Dual 3 Lane Closures Sht 9 of 12 - TSAMSD815
Dual 3 Lane Closures Sht 10 of 12 - TSAMSD816
Dual 3 Lane Closures Sht 11 of 12 - TSAMSD817
Dual 3 Lane Closures Sht 11 of 12 - TSAMSD818
Dual 4 Lane Closures Sht 1 of 10 - TSAMSD819
Dual 4 Lane Closures Sht 2 of 10 - TSAMSD820
Dual 4 Lane Closures Sht 3 of 10 - TSAMSD821
Dual 4 Lane Closures Sht 4 of 10 - TSAMSD822
Dual 4 Lane Closures Sht 5 of 10 - TSAMSD823
Dual 4 Lane Closures Sht 6 of 10 - TSAMSD824
Dual 4 Lane Closures Sht 7 of 10 - TSAMSD825
Dual 4 Lane Closures Sht 8 of 10 - TSAMSD826
Dual 4 Lane Closures Sht 9 of 10 - TSAMSD827
Dual 4 Lane Closures Sht 10 of 10 - TSAMSD828
Dual Carriageway Road Closures Sht 1 of 3 - TSAMSD829
Dual Carriageway Road Closures Sht 2 of 3 - TSAMSD830
Dual Carriageway Road Closures Sht 3 of 3 - TSAMSD831
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 1 of 5 - TSAMSD832
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 2 of 5 - TSAMSD833
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 3 of 5 - TSAMSD834
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 4 of 5 - TSAMSD835
Dual Carriageway Standard - Entry and Exit Slip Road Details Sht 5 of 5 - TSAMSD836
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 1 of 4 - TSAMSD837
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 2 of 4 - TSAMSD838
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 3 of 4 - TSAMSD839
Dual Carriageway Relaxation - Entry and Exit Slip Road Details Sht 4 of 4 - TSAMSD840
Dual Carriageway Primary Carriageway Traffic Lane Through The Works - TSAMSD842

901-1000 Mobile Works

Mobile Lane Closures On Single Carriageways - TSAMSD901
Dual Carriageways 40 mph or less Nearside and Offside Mobile Lane Closures Sht 1 of 2 - TSAMSD902
Dual Carriageways 40 mph or less Nearside and Offside Mobile Lane Closures Sht 2 of 2 - TSAMSD903
Mobile Lane Closures Sht 1 of 7 - TSAMSD904
Mobile Lane Closures Sht 2 of 7 - TSAMSD905
Mobile Lane Closures Sht 3 of 7 - TSAMSD906
Mobile Lane Closures Sht 4 of 7 - TSAMSD907
Mobile Lane Closures Sht 5 of 7 - TSAMSD908
Mobile Lane Closures Sht 6 of 7 - TSAMSD909
Mobile Lane Closures Sht 7 of 7 - TSAMSD910
Mobile Carriageway Closure - Sheet 1 - TSAMSD911
Mobile Carriageway Closure - Sheet 2 - TSAMSD912
Mobile Carriageway Closure - Sheet 3 - TSAMSD913

1001-1100 Miscellaneous_details

Speed Restriction Signs - Location Details - TSAMSD1001
Standard Road Closure and Diversion Signs - TSAMSD1002
Traffic Management at Roundabouts Typical Details Sht 1 of 4 - TSAMSD1003
Traffic Management at Roundabouts Typical Details Sht 2 of 4 - TSAMSD1004
Traffic Management at Roundabouts Typical Details Sht 3 of 4 - TSAMSD1005
Traffic Management at Roundabouts Typical Details Sht 4 of 4 - TSAMSD1006
Transition Between Dual And Single Carriageways (50 MPH Or More) Sht 1 - TSAMSD1007
Transition Between Dual And Single Carriageways (50 MPH Or More) Sht 2 - TSAMSD1008
Transition Between Dual And Single Carriageways (50 MPH Or More) Sht 3 - TSAMSD1009
Transition Between Dual And Single Carriageways (50 MPH Or More) Sht 4 - TSAMSD1010
Transition Between Dual And Single Carriageways (50 MPH Or More) Sht 5 - TSAMSD1011
Transition Between Dual And Single Carriageways (50 MPH Or More) Sht 6 - TSAMSD1012
Transition Between Dual And Single Carriageways (50 MPH Or More) Sht 7 - TSAMSD1013
Transition Between Dual And Single Carriageways (50 MPH Or More) Sht 8 - TSAMSD1014
Transition Between Dual And Single Carriageways (50 MPH Or More) Sht 9 - TSAMSD1015
Dual Carriageway (No Hardshoulder) Entry and Exit Slip Road Closures (Relaxation) Sht 1 of 4 - TSAMSD1016
Dual Carriageway (No Hardshoulder) Entry and Exit Slip Road Closures (Relaxation) Sht 2 of 4 - TSAMSD1017
Dual Carriageway (No Hardshoulder) Entry and Exit Slip Road Closures (Relaxation) Sht 3 of 4 - TSAMSD1018
Dual Carriageway (No Hardshoulder) Entry and Exit Slip Road Closures (Relaxation) Sht 4 of 4 - TSAMSD1019

Welsh English TSAMS

Traffic Management Arrangements For Pedestrians - TSAMSD003WE
Single 2 Lane STOP WORKS Sign Traffic Control - TSAMSD004WE
Single 2 Lane Reduced Width Lane Closures Sht 1 of 3 - TSAMSD005WE
Single 2 Lane Reduced Width Lane Closures Sht 2 of 3 - TSAMSD006WE
Single 2 Lane Reduced Width Lane Closures Sht 3 of 3 - TSAMSD007WE
Single 2 Lane Give and Take Traffic Control - TSAMSD008WE
Single 2 Lane Priority Traffic Control Sht 1 of 2 - TSAMSD009WE
Single 2 Lane Priority Traffic Control Sht 2 of 2 - TSAMSD010WE
Single 2 Lane STOP GO Traffic Control Sht 1 of 3 - TSAMSD011WE
Single 2 Lane STOP GO Traffic Control Sht 2 of 3 - TSAMSD012WE
Single 2 Lane STOP GO Traffic Control Sht 3 of 3 - TSAMSD013WE
Single 2 Lane (Convoy Working) STOP GO Traffic Control Sht 1 of 3 - TSAMSD014WE
Single 2 Lane (Convoy Working) STOP GO Traffic Control Sht 2 of 3 - TSAMSD015WE
Single 2 Lane (Convoy Working) STOP GO Traffic Control Sht 3 of 3 - TSAMSD016WE
Single 2 Lane (Multi-Phase) STOP GO Traffic Control Sht 1 of 4 - TSAMSD017WE
Single 2 Lane (Multi-Phase) STOP GO Traffic Control Sht 2 of 4 - TSAMSD018WE
Single 2 Lane (Multi-Phase) STOP GO Traffic Control Sht 3 of 4 - TSAMSD019WE
Single 2 Lane (Multi-Phase) STOP GO Traffic Control Sht 4 of 4 - TSAMSD020WE
Single 2 Lane Portable Traffic Signal Control Sht 1 of 4 - TSAMSD021WE
Single 2 Lane Portable Traffic Signal Control Sht 2 of 4 - TSAMSD022WE
Single 2 Lane Portable Traffic Signal Control Sht 3 of 4 - TSAMSD023WE
Single 2 Lane Portable Traffic Signal Control Sht 4 of 4 - TSAMSD024WE
Single 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 1 of 3 - TSAMSD025WE
Single 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 2 of 3 - TSAMSD026WE
Single 2 Lane (Convoy Working) Portable Traffic Signal Control Sht 3 of 3 - TSAMSD027WE
Single 2 Lane (Multi-Phase) Portable Traffic Signal Control Sht 1 of 4 - TSAMSD028WE
Single 2 Lane (Multi-Phase) Portable Traffic Signal Control Sht 2 of 4 - TSAMSD029WE
Single 2 Lane (Multi-Phase) Portable Traffic Signal Control Sht 3 of 4 - TSAMSD030WE
Single 2 Lane (Multi-Phase) Portable Traffic Signal Control Sht 4 of 4 - TSAMSD031WE

CONE is solely developed and distributed by CADaptor Solutions
The Heritage Exchange, Lindley, Huddersfield, HD3 3HR

Tel: 01484 489339

Email: info@conesoftware.com

Web: www.conesoftware.com